


Product Data Sheet

MaxiFlex® Elite™ 34-274

Colour – Coating	Dark blue
Colour – Liner	Dark blue
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Spandex
Patent number	EP 1 608 808
Palm thickness	0.80 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	195	205	215	225	230	235
Wrist length (mm)	63	65	67	70	72	74
Wrist width (mm)	65	67	70	72	74	76
Palm width (+/-3 mm)	80	82	87	93	96	102
Over lock colour	Blue	Red	Orange	White	Yellow	Black

EN test Results

Test	Notified Body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388: 2016 + A1: 2018	TÜV Rheinland	4121A



Product Data Sheet

MaxiFlex® Elite™ 34-274

Typical Performance Values

EN ISO 21420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 25 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867)	Certified
Washable	60°
Sanitized®	Yes



Special features

Silicone free	Yes
Food contact	Yes (FDA, EC 1935/2004)



Product Data Sheet

MaxiFlex® Elite™ 34-274

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	20	22	26	28	30	32
Gross Weight (Kg)	4.3	4.6	5	5.4	5.7	6
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	3.3	3.6	4	4.4	4.7	5

Issue date: 15.09.2020

