

Product datasheet

Specifications



Exhaust fan, Airflow, wall, 200mm blade dia, auto louvre, white

7106AN

Main

Range	Airflow
Product Brand	Clipsal
Product Or Component Type	Exhaust fan
Product Destination	For wall
Main Colour Tint	White
Colour Tint	White

Complementary

Provided Equipment	Fan 271 mm 271 mm 200 mm
[Ue] Rated Operational Voltage	230 V AC 50 Hz
Material	ABS (acrylonitrile butadiene-styrene)
Air Flow	600 m ³ /h
Diameter	188 mm impeller:
Power Consumption In W	38 W
[In] Rated Current	0.18 A full load
Cut-Out Dimensions	230 mm diameter
Depth	110 mm
Motor Type	Ball bearing
Number Of Blades	9
Noise Level	50 dB
Fan Type	Axial

Environment

Ip Degree Of Protection	IPx4
-------------------------	------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	22 cm
Package 1 Width	27.5 cm
Package 1 Length	27.5 cm
Package 1 Weight	2.906 kg

Unit Type Of Package 2	PAL
Number Of Units In Package 2	64
Package 2 Height	109 cm
Package 2 Width	113 cm
Package 2 Length	113 cm
Package 2 Weight	212 kg

Contractual warranty

Warranty	3 Years
-----------------	---------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

Well-being performance

 Halogen Free Plastic Parts Product

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant with Exemptions

China Rohs Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

No need of specific recycling operations
