

Leads & Powerboards

WEL2

2 metre Domestic Extension Lead

Regular 2 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014607




WEL3

3 metre Domestic Extension Lead

Regular 3 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014614




WEL5

5 metre Domestic Extension Lead

Regular 5 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014621



WEL7

7 metre Domestic Extension Lead

Regular 7 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014638



WEL10

10 metre Domestic Extension Lead

Regular 10 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014645



WEL15

15 metre Domestic Extension Lead

Regular 15 metre extension lead for home or other use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014911



WEL20

20 metre Domestic Extension Lead

Regular 20 metre extension lead for home or office use. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644014928



WEL3G

3 metre Green Extension Lead

Regular 3 metre extension lead for home or other use. 240 volt 10 amp rating. Green in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644053231



WEL18D

Dual Output Split Lead

Simple low cost alternative for multiple appliances. One lead now powers two appliances. Single 1.5 meter cable run to split junction. 0.3 meter cable runs from split junction to each individual 240 volt socket. Ordinary duty white colour 10 amp cable. Packaged: Wrap around card

Pack Qty 4
APN 9311644045236



SPL2

2 metre Smart Lead

2 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour. Packaged: Wrap around card

Pack Qty 6
APN 9311644012085



Leads & Powerboards

SPL3 3 metre Smart Lead

3 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012092



SPL5 5 metre Smart Lead

5 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012108



SPL7 7 metre Smart Lead

7 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012115



SPL10 10 metre Smart Lead

10 metre lead with unique swivel plug. Low profile for tight locations where standard plugs do not fit eg. behind furniture or appliances. Plug swivels 180° for flexibility in positioning. 240 volt 10 amp rating. White in colour.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012122



PPEL1 1 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020264



PPEL2 2 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020271



PPEL4 4 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020295



PPEL7 7 metre Piggyback Extension Lead

Rating 240 volt 10 amp. Suitable for home or office use. Complies with Australian Safety Standards.

Packaged: Wrap around card

Pack Qty 6

APN 9311644020325



BEL10 10 metre Heavy Duty Extension Lead

Heavy duty PVC sheath to withstand rough usage. Plug and socket rating 240 volt 10 amp. Cable rating 10 amp. Ideal for all garden, garage & workshop applications. Fully moulded clear plug and socket allows for safety inspection. Colour Red with Blue Stripe. Complies with Australian Standards.

Pack Qty 6

APN 9311644041405



BEL25 25 metre Heavy Duty Extension Lead

Heavy duty PVC sheath to withstand rough usage. Plug and socket rating 240 volt 10 amp. Cable rating 10 amp. Ideal for all garden, garage & workshop applications. Fully moulded clear plug and socket allows for safety inspection. Colour Red with Blue Stripe. Complies with Australian Standards.

Pack Qty 6

APN 9311644013655



Leads & Powerboards

YEL05

5 metre Heavy Duty Extension Lead

5 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012412



YEL10

10 metre Heavy Duty Extension Lead

10 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012429



YEL15

15 metre Heavy Duty Extension Lead

15 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use.

Packaged: Wrap around card

Pack Qty 6

APN 9311644012436



YEL20

20 metre Heavy Duty Extension Lead

20 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use.

Packaged: Wrap around card

Pack Qty 4

APN 9311644012443



YEL25

25 metre Heavy Duty Extension Lead

25 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. High visibility yellow heavy duty PVC sheath. Suitable for workshops, tradesmen and general outdoor use.

Packaged: Wrap around card

Pack Qty 4

APN 9311644015246



YEL30

30 metre Heavy Duty Extension Lead

30 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 10 amp. High visibility yellow heavy duty PVC sheath. Suitable for workshop, tradesman and general outdoor use.

Packaged: Wrap around card

Pack Qty 4

APN 9311644027980



YEL18D

Dual Output Heavy Duty Split Lead

Simple low cost alternative for multiple appliances. One lead now powers two appliances. Single 1.5 meter cable run to split junction. 0.3 meter cable runs from split junction to each individual 240 volt socket. Heavy duty high visibility yellow colour 10 amp cable.

Packaged: Wrap around card

Pack Qty 4

APN 9311644045243



CEL 10

10 metre Caravan Extension Lead

Plug and socket rating 240 volt 15 amp with wide blade earth terminals (Note: not suitable for use with standard domestic powerpoints). 15 Amp (1.5mm sq.) flex. For caravans, boats, welders and all high power applications. High visibility orange colour cable with clear plug and socket.

Pack Qty 4

APN 9311644033448



CEL 15

15 metre Caravan Extension Lead

Plug and socket rating 240 volt 15 amp with wide blade earth terminals (Note: not suitable for use with standard domestic powerpoints). 15 Amp (1.5mm sq.) flex. For caravans, boats, welders and all high power applications. High visibility orange colour cable with clear plug and socket.

Pack Qty 4

APN 9311644022534



CEL 20

20 metre Caravan Extension Lead

Plug and socket rating 240 volt 15 amp with wide blade earth terminals (Note: not suitable for use with standard domestic powerpoints). 15 Amp (1.5mm sq.) flex. For caravans, boats, welders and all high power applications. High visibility orange colour cable with clear plug and socket.

Pack Qty 4

APN 9311644033431



Leads & Powerboards

REL10

10 metre Extra Heavy Duty Extension Lead

10 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 6
APN 9311644013433



REL15

15 metre Extra Heavy Duty Extension Lead

15 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 6
APN 9311644013440



REL20

20 metre Extra Heavy Duty Extension Lead

20 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 4
APN 9311644013457



REL30

30 metre Extra Heavy Duty Extension Lead

30 metre lead with neon safety light in socket. Clear 240 volt 10 amp plug and socket for safety inspection. Cable rating 15 amp. High visibility red extra heavy duty PVC sheath. Suitable for trade and construction sites. Packaged: Wrap around card

Pack Qty 4
APN 9311644013464



ELR1

Extension Cord Storage Reel

Robust metal stand with strong polypropylene reel. Holds up to 30 metres of regular duty lead. Storage convenience – prevents leads from tangling. Ideal for tradesmen, caravan, camping, home and garage. Packaged: Reel

Pack Qty 4
APN 9311644014867



ELR2

Twin Socket Extension Cord Reel

Robust metal stand with polypropylene reel and clips to hold free ends of cord. Built in twin 240 volt 10 Amp sockets. 15 Metres heavy duty (colour red and blue striped) extension cord included. Cable plug and insulation rating 10 Amp. Ideal for home, garden and workshop applications. Packaged: Reel

Pack Qty 2
APN 9311644022213



ELR25Y

25 metre Heavy Duty Extension Lead on Reel

Robust metal stand with polypropylene reel. Reel has clips to hold free ends of cord. 25 Metres heavy duty extension cord included (colour- high visibility yellow). Cable rating 10 Amp and insulation rating heavy duty. Plug & socket rating 240 volt 10 Amp. Ideal for home, garden and workshop applications.

Pack Qty 2
APN 9311644032243



CL1

Cord Safe

Holds plug and socket together. Prevents accidental disconnection, reduces hazards, and protects connection from outdoor weather conditions. Adjustable to suit most extension lead plug and socket combinations. Ideal for tradesmen, caravan, camping, power tools and outdoor lighting. Packaged: Wrap around card

Pack Qty 6
APN 9311644014201



DEF8

4 Outlet Chain Socket Extension Lead

Each outlet with individual (double pole) On/Off rocker switch. 2 Metre mains input lead. Rating 240 volt, maximum total load 10 amp 2400 watt. Overload protected - manual reset function. Can be wall mounted. Ideal for home, garden, office and workshop applications. Packaged: Colour carton

Pack Qty 4
APN 9311644041863



DES12

6 Outlet Chain Socket Extension Lead

Each outlet with individual (double pole) On/Off rocker switch. 2 Metre mains input lead. Rating 240 volt, maximum total load 10 amp 2400 watt. Overload protected - manual reset function. Can be wall mounted. Ideal for home, garden, office and workshop applications. Packaged: Colour carton

Pack Qty 4
APN 9311644041870

