

# Catalogue No: **DAC-01-C-M40**

## TIMER STAR DELTA 380-415V AC SUPPLY 1 C/O 0.1-600S

Timers and Control Relays > Timers and Time Switches > Time Delay Relays > Carlo Gavazzi Time Delay Relays > Star Delta Delay Relays > DIN Mount



Time delay relay, star delta, 380 -415V AC, 1 C/O, DIN rail

- Multitude of timing functions available from the entire Carlo Gavazzi range (On Delay, Interval, Off Delay, One Shot, Star-Delta, and Recycler)
- Available in either DIN or Panel mount to suit your preference.
- Variety of relay output types (SPDT,DPDT) and adjustable timing ranges available, dependent on your switching requirements.
- International certifications and wide install base ensuring delivery of a quality tested product.

Representative Photo Only  
(actual product may vary based on configuration selections)

### SPECIFICATIONS

Timing Function	Star-Delta
Time Range(s)	100ms ... 1s 1 ... 10s 6s ... 1min 1 ... 10min
Power Consumption	4 / 1.5 VA/W
Nominal Frequency	45-65 Hz
Umin, Supply Voltage, AC, Min	380 V AC
Umax, Supply Voltage, AC, Max	415 V AC
Supply Voltage Type	380-415 V AC
Contact Ratings DC12 at 24 V DC	5 A
Contact Ratings DC 13 at 24 V DC	2.5 A
Contact Ratings AC 15 at 250 V AC	2.5
Contact Ratings AC 1 at 250 V AC	8 A
Contact Configuration	1 CO
Housing	22.5mm DIN rail
Mounting	DIN-35 Rail Mount
Time Setting Accuracy	≤ 5 % %
Height	83.5 mm
Width	22.5 mm
Depth	98.5 mm


Catalogue No: **DAC-01-C-M40**

**TIMER STAR DELTA 380-415V AC SUPPLY 1 C/O 0.1-600S**

Timers and Control Relays > Timers and Time Switches > Time Delay Relays > Carlo Gavazzi Time Delay Relays > Star Delta Delay Relays > DIN Mount



REFERENCES	
IECEX Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	<a href="#">DAC01CM40_ManufacturerDatasheet</a>
Manufacturer Catalogue & Product Selection:	-



Dimension Diagram

## DAC51, DAC01

