



## General Information

|                 |                     |
|-----------------|---------------------|
| Material number | 204802              |
| EAN/UPC         | 9008606215850       |
| Type            | ceiling fan & light |

## Dimensions

|                           |               |
|---------------------------|---------------|
| Article Diameter (in mm)  | 1168          |
| Article Height (in mm)    | 295           |
| Canopy Height (in mm)     | 50            |
| Canopy Diameter (in mm)   | 170           |
| Net Weight                | 5.66 Kilogram |
| Gross Weight              | 7.4 Kilogram  |
| Single-Box Height (in mm) | 252           |
| Single-Box Length (in mm) | 596           |
| Single-Box Depth (in mm)  | 428           |

## Fan

|                               |                |
|-------------------------------|----------------|
| Motor Type                    | DC             |
| Motor dimension in MM (Ø x H) | 155x12         |
| Motor Wattage                 | 22             |
| Adjustable Canopy             | 13°            |
| Blade pitch in degree         | 16°            |
| Blade Quantity                | 3              |
| Mains Voltage                 | 220-240V, 50Hz |

## Functions

|          |                                                                       |
|----------|-----------------------------------------------------------------------|
| Function | remote control incl.<br>timer<br>3-step CCT<br>Night Mode<br>6 speeds |
|----------|-----------------------------------------------------------------------|

## Material & Colour

|                      |                   |
|----------------------|-------------------|
| Blade Material       | ABS, UV Resistant |
| Blade Colour (1)     | black matt        |
| Canopy Material      | ABS, UV Resistant |
| Canopy Colour        | black matt        |
| Enclosure Material   | ABS, UV Resistant |
| Enclosure Colour     | black matt        |
| Glass/Shade Material | acrylic           |
| Glass/Shade Colour   | milky             |

## Performance

|                             |       |
|-----------------------------|-------|
| Wattage by air movement (1) | 2.4   |
| RPM (1)                     | 62    |
| Air Movement m3/Hr (1)      | 3230  |
| Wattage by air movement (2) | 3.4   |
| RPM (2)                     | 89    |
| Air Movement m3/Hr (2)      | 5780  |
| Wattage by air movement (3) | 4.5   |
| RPM (3)                     | 110   |
| Air Movement m3/Hr (3)      | 7390  |
| Wattage by air movement (4) | 7     |
| RPM (4)                     | 140   |
| Air Movement m3/Hr (4)      | 9530  |
| Wattage by air movement (5) | 10.9  |
| RPM (5)                     | 167   |
| Air Movement m3/Hr (5)      | 11420 |
| Wattage by air movement (6) | 20    |
| RPM (6)                     | 200   |
| Air Movement m3/Hr (6)      | 14620 |

## Illuminant

|                       |           |
|-----------------------|-----------|
| Illuminant Type (1)   | LED       |
| max. Wattage (1)      | 18W       |
| Lumen Complete        | 2011      |
| Light colour Complete | TRICOLOUR |
| Suitable for LM EEI   | A++ - A   |

204802  
NOOSA



|                                                                                  |                                                                                   |                                                                                   |                                                                                   |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
|  |  |  |  |
| AIRFLOW                                                                          |                                                                                   | HANG SURE<br>CANOPY                                                               | LED                                                                               |
| 14620<br>m³/h                                                                    | 6<br>speed<br>2h 8h                                                               | 13°                                                                               | 18W                                                                               |

