



## General Information

Material number	39287
Type	ceiling light
Product segment	Indoor
Theme	Crystal & Design

## Dimensions

Article Height (in mm)	135
Article Diameter (in mm)	595
Net Weight	4.04 Kilogram

## Material & Colour

Enclosure Material	steel, plastic
Enclosure Colour	white

## Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

## Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes
max. Wattage (1)	34W
producer	Eaglerise
Voltage	220-240V 50/60Hz
U out	34-51,5V
I out	700mA
Hz	100Hz

## Illuminant 1

Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Nominal Luminous Flux (in lm)	4000
Equivalence With Incandescent Lamp (W)	230
Colour Temperature	3000K warm white
Nominal Lifetime (in h)	25000
Switching Cycles	15000
Colour Rendering Index (Ra, CRI)	>80
Energy Efficiency Class	LED - A+
Dimmable	Yes
Function	LED not replaceable
Rated Lamp Power (0,1W precision)	34
Colour Tolerance (LED, SDCM)	<6

## Compatible Dimmers

BERKER - 2830 10

BERKER - 286710

BERKER - 2873

BERKER - 8542 12 00

BUSCH-JAEGER - 2247 U

BUSCH-JAEGER - 2250 U

BUSCH-JAEGER - 6513 U-102

BUSCH-JAEGER - 6519 U

BUSCH-JAEGER - 6523 U

BUSCH-JAEGER - 6523 U-102

BUSCH-JAEGER - 6524 U

BUSCH-JAEGER - 6591 U-101

CLIPSAL - 32E450UDM

ELKO - 315GLE

ELTAKO - EUD61NPN

GIRA - 0307 00/I02

GIRA - 2262 00/I00

GIRA - 238500/I00

HAMILTON - LITESTAT

JUNG - 225 NV DE

JUNG - 225 TDE

JUNG - 266 GDE

LEGRAND - 7759 03

MERTEN - 5771

OPUS - 852096

PEHA - 433 HAB

PEHA - 434

SCHALK - ETD U2

SIEMENS - 5TC8 263

SIEMENS - 5TC8211-0

