


CF FLAT COVERS



Supplied in 3m lengths

Cable Tray Flat Covers

Width (mm)	CT or ET Cable Tray		ET3 or ET5 Cable Tray or EzyMesh	
	Pre-Galvanised	Hot Dip Galvanised*	Pre-Galvanised	Hot Dip Galvanised*
150	CFCT1503G A	CFCT1503H A	CFET1503G A	CFET1503H A
300	CFCT3003G A	CFCT3003H A	CFET3003G A	CFET3003H A
450	CFCT4503G A	CFCT4503H A	CFET4503G A	CFET4503H A
600	CFCT6003G A	CFCT6003H A	CFET6003G A	CFET6003H A

Cable Ladder Flat Covers

Width (mm)	Nema 1 Ladder		Nema 2 & Nema 3 Ladder		Nema 2 FRP
	Pre-Galvanised	Hot Dip Galvanised*	Pre-Galvanised	Hot Dip Galvanised*	FRP
150	CFN11503G C	CFN11503H A	CFN21503G A	CFN21503H A	CF150FRP D
300	CFN13003G C	CFN13003H A	CFN23003G A	CFN23003H A	CF300FRP D
450	CFN14503G C	CFN14503H A	CFN24503G A	CFN24503H A	CF450FRP D
600	CFN16003G C	CFN16003H A	CFN26003G A	CFN26003H A	CF600FRP D
900	CFN19003G D	CFN19003H D	CFN29003G D	CFN29003H D	CF900FRP D

D

**NEMA 20C LADDER COVERS
ARE AVAILABLE AS MADE TO ORDER (MTO).**

Cable Ladder Flat Fitting Covers

SERVICE GUIDE

Standard*
Cable Ladder Fitting Flat Covers are

A OR B

Non-Standard
Cable Ladder Fitting Flat Covers are

C OR D

*Standard Nema 1 range: widths 150-600mm, 300mm radius and hot dip galvanised finish.

*Standard Nema 2, 3 & 20C range: widths 150-600mm, 450mm radius and hot dip galvanised finish.

Check with your local representative at time of enquiry.
See page 71 for standard sizes and ordering codes.

D

**STAINLESS STEEL AND ALUMINIUM FLAT COVERS
ARE AVAILABLE AS MADE TO ORDER (MTO).**

*Please note that the process of Hot Dip Galvanising sheet metal products is not recommended and product distortion is likely to occur as a result.


Service Guide Key: A Usually in stock at all branches

C Normal lead time

B Usually in stock at head office

D Made to Order (lead time on enquiry)

CP PEAKED COVERS



Supplied in 3m lengths

Cable Tray Peaked Covers

Width (mm)	CT or ET Cable Tray		ET3 or ET5 Cable Tray or EzyMesh	
	Pre-Galvanised	Hot Dip Galvanised*	Pre-Galvanised	Hot Dip Galvanised*
150	CPCT1503G C	CPCT1503H A	CPET1503G C	CPET1503H C
300	CPCT3003G A	CPCT3003H A	CPET3003G C	CPET3003H C
450	CPCT4503G C	CPCT4503H A	CPET4503G C	CPET4503H C
600	CPCT6003G C	CPCT6003H A	CPET6003G C	CPET6003H C

Cable Ladder Peaked Covers

Width (mm)	Nema 1 Ladder		Nema 2 & Nema 3 Ladder	
	Pre-Galvanised	Hot Dip Galvanised*	Pre-Galvanised	Hot Dip Galvanised*
150	CPN11503G C	CPN11503H C	CPN21503G C	CPN21503H A
300	CPN13003G D	CPN13003H C	CPN23003G C	CPN23003H A
450	CPN14503G D	CPN14503H C	CPN24503G C	CPN24503H A
600	CPN16003G D	CPN16003H C	CPN26003G C	CPN26003H A
900	CPN19003G D	CPN19003H D	CPN29003G D	CPN29003H D

D NEMA 20C LADDER COVERS AND FRP N2 LADDER COVERS
ARE AVAILABLE AS MADE TO ORDER (MTO).

Cable Ladder Peaked Fitting Covers

SERVICE GUIDE

Cable Ladder Peaked Fitting Covers are

C OR **D**


Check with your local representative at time of enquiry.
See page 71 for standard sizes and ordering codes.

D STAINLESS STEEL AND ALUMINIUM PEAKED COVERS
ARE AVAILABLE AS MADE TO ORDER (MTO).

*Please note that the process of Hot Dip Galvanising sheet metal products is not recommended and product distortion is likely to occur as a result.


VENTED COVERS

CFV FLAT AND VENTED COVERS



Supplied in 3m lengths

CPV PEAKED AND VENTED COVERS



Supplied in 3m lengths


SERVICE GUIDE

Vented Covers for Cable Trays and Cable Ladders are

C OR **D**

Check with your local representative at time of enquiry.
See page 71 for standard sizes and ordering codes.

TOP HAT COVERS



Supplied in 3m lengths

SERVICE GUIDE

Top Hat Covers^^ for Cable Trays and Cable Ladders are

C OR **D**

Check with your local representative at time of enquiry.
See page 71 for standard sizes and ordering codes.

^^Different material thicknesses are available upon request, such as 1.2, 1.6 and 2.0mm.

D

***STAINLESS STEEL AND ALUMINIUM COVERS ARE
AVAILABLE AS MADE TO ORDER (MTO).**

**^REVERSE RAIL CABLE LADDER COVERS AND FITTINGS,
USE CT CABLE TRAY ORDERING CODES**

****SEE PAGE 72 & 75 FOR N2 FRP CABLE LADDER COVERS AND
FITTING COVERS.**

Service Guide Key:

A

Usually in stock at all branches

C

Normal lead time

B

Usually in stock at head office

D

Made to Order (lead time on enquiry)

HOW TO ORDER CABLE TRAY OR LADDER COVERS

— Cable Tray Covers

Example

CP CT 300 3 G

Select Cover Type

- CF** Flat Cover
- CP** Peaked Cover
- CFV** Flat and Vented Cover
- CPV** Peaked and Vented Cover

Select Tray Type

- CT** Cable Tray and EzyTray[^]
- ET** ET3, ET5 and EzyMesh

Select Tray Width (mm)

- 150**
- 300**
- 450**
- 600**

3m length

Select Finish

- G** Pre-Galvanised
- H** Hot Dip Galvanised[~]
- S** Stainless Steel*
- A** Aluminium*



FASTENERS

— Cable Ladder Covers**

Example

CF N1 450 3 H

Select Cover Type

- CF** Flat Cover
- CP** Peaked Cover
- CFV** Flat and Vented Cover
- CPV** Peaked and Vented Cover

Select Ladder Type

- N1** Nema 1 Ladder
- N2** Nema 2 & Nema 3 Ladder
- N20C** Nema 20C Ladder

Select Ladder Width (mm)

- 150**
- 300**
- 450**
- 600**
- 900**

3m length

Select Finish

- G** Pre-Galvanised
- H** Hot Dip Galvanised[~]
- S** Stainless Steel
- A** Aluminium*



STRUT SYSTEMS

— Cable Ladder Fitting Covers**

Example

CPV B4503 H

Select Cover Type

- CF** Flat Cover
- CP** Peaked Cover
- CPV** Peaked and Vented Cover

Append Cable Ladder Fitting Ordering Code without ladder type.

Peaked External Risers are the exception and must specify ladder type. Example format: CPERN21504H

Select Finish

- G** Pre-Galvanised
- H** Hot Dip Galvanised[~]
- S** Stainless Steel
- A** Aluminium*



CABLE SUPPORTS

— Cable Tray / Ladder Top Hat Covers^{^^}

Example

CF T N2 450 50 H

Select Cover Type

- CF** Flat Cover
- CP** Peaked Cover
- CPV** Peaked and Vented Cover

Top Hat Cover

Select Ladder/Tray Type

- CT** Cable Tray & EzyTray
- ET** ET3 and ET5
- N1** N1 Cable Ladder
- N2** N2&3 Cable Ladder
- N20C** N20C Cable Ladder

Select Width

- 150**
- 300**
- 450**
- 600**
- 900**

Select Height

- 50**
- 75**
- 100**
- (Other heights available)

Select Finish

- G** Pre-Galvanised
- H** Hot Dip Galvanised[~]
- S** Stainless Steel
- A** Aluminium



FIRERATED

PIPE SUPPORTS

^{^^}MTO and different material thicknesses are available upon request, such as 1.2, 1.6 and 2.0mm.

[~]Please note that the process of Hot Dip Galvanising sheet metal products is not recommended and product distortion is likely to occur as a result.