

Representative Photo Only
(actual product may vary based on configuration selections)

Base For 5632/9901 Led Relay Box Clamp w/Metal Clip

- Complete range from PCB to power relays to cover all of your switching requirements
- International certifications and approvals including CE, CSA, EAC, PCT, RINA, VDE and RoHS, providing quality assurance of a market leading product
- Compact construction allowing for most efficient use of your space

SPECIFICATIONS

Component Type	Timers and Control relays	Relay Base
In, Rated Current	12 A	
Icw, Short Time Withstand Current, 10ms (rms)	20 A, 10ms	
Un, Nominal Operational Voltage, AC	250 V AC	
Ue, Rated Operational Voltage, AC, max	400 V AC	
Contact Breaking Capacity, DC1, 30V	12 A	
Contact Breaking Capacity, DC1, 110V	0.5 A	
Contact Breaking Capacity, DC1, 220V	0.25 A	
Rated Load, AC-1	3000 VA	
Rated Load, AC-15	700 VA	
Contact Rated Power, Single Phase Motor, 230V AC	0.55 kW	
Material, Contacts	Silver Nickel (AgNi) material	
Electrical Service Life at Un, In	100000 cycles	
Mounting	Plug-in	
Height	82.5 mm	
Width	27 mm	
Depth	84.4 mm	
Shock Acceleration (Max.)	20 g	
Shock Duration (Max.)	4 ms	
Vibration Acceleration (Max.)	17 g	
Vibration Frequency, Operational (Max.)	150 Hz	
Certifications	CE CSA EAC GOST-R IMQ C-UR-US VDE	

Catalogue No: **96.02**

BASE FOR 5632/9902 LED RELAY BOX CLAMP W/METAL CLIP

Timers and Control Relays > General Purpose Relays > Electromechanical Relays > Finder Electromechanical Relays > Power Relays > 56 Series Mini Square Base Relays



Shipping Approvals

Lloyd's Register of Shipping
RINA (Registro Italiano Navale)

REFERENCES

IECEX Certificate -


Supplier Declaration of
Conformity: -

Installation Guide: -


User Manual: -

Manufacturer Datasheet: -

Manufacturer Catalogue
& Product Selection: -




Dimension Diagram



Catalogue No: **96.02**

BASE FOR 5632/9902 LED RELAY BOX CLAMP W/METAL CLIP

Timers and Control Relays > General Purpose Relays > Electromechanical Relays > Finder Electromechanical Relays > Power Relays > 56 Series Mini Square Base Relays



96.02

Connection / Wiring Diagram