

CM107



CM101



CM301



CM401



CM601



CM115



CM219



### COMO® Range switches 230 - 240V a.c.

#### Vertical switches

Plate size: 72 x 116mm. Mounting centres: 84mm.

CM107	10A 1 gang vertical switch	10
CM108	10A 1 gang vertical switch with neon indicator	10
CM103	15A 1 gang vertical switch	10
CM104	15A 1 gang vertical switch with neon indicator	10
CM122	10A 1 gang vertical intermediate switch	10
CM125	35A 1 gang vertical switch	10
CM203	10A 2 gang vertical switch	10
CM204	10A 2 gang vertical switch with neon indicator	10

#### Horizontal switches

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM101	10A 1 gang horizontal large switch	10
CM102	10A 1 gang horizontal large switch with neon indicator	10
CM105	10A 1 gang horizontal switch	10
CM106	10A 1 gang horizontal switch with neon indicator	10
CM109	15A 1 gang horizontal switch	10
CM110	15A 1 gang horizontal switch with neon indicator	10
CM121	10A 1 gang horizontal intermediate large switch	10
CM123	10A 1 gang horizontal intermediate switch	10
CM201	10A 2 gang horizontal switch	10
CM202	10A 2 gang horizontal switch with neon indicator	10
CM301	10A 3 gang horizontal switch	10
CM302	10A 3 gang horizontal switch with neon indicator	10

#### B type switches

Plate size: 116mm square. Mounting centres: 84mm.

CM401	10A 4 gang switch	10
CM402	10A 4 gang switch with neon indicator	10
CM403	10A 3 gang switch and blank	10
CM404	10A 3 gang switch with neon indicators and blank	10
CM405	10A 2 gang switch and 2 blanks	10
CM406	10A 2 gang switch with neon indicators and 2 blanks	10
CM601	10A 6 gang switch	1

#### Press button switches

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM115	1 gang vertical press button switch	10
CM116	1 gang vertical press button switch with neon indicator	10
CM117	1 gang horizontal press button switch	10
CM118	1 gang horizontal press button switch with neon indicator	10
CM119	1 gang horizontal large press button switch	10
CM120	1 gang horizontal large press button switch with neon indicator	10

### COMO® Range powerpoints 230 - 240V a.c.

#### Autoswitches

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM219	10A Autoswitch 2 outlet powerpoint with LED indicators, type A	10
-------	--	----

CM450



CM501



CM206



CM407



CM210



CM209



### B type autoswitches

Plate size: 116mm square. Mounting centres: 84mm.

CM450	10A Autoswitch 4 outlet powerpoint with LED indicators, type B	10
CM459	10A 2 gang switch and autoswitch 2 outlet powerpoint with LED indicators	1
CM501	10A 3 gang switch and autoswitch 2 outlet powerpoint with LED indicators	1

### Single powerpoints

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM205	10A single powerpoint	10
CM206	10A single powerpoint with neon indicator	10
CM207	15A single powerpoint	10
CM208	15A single powerpoint with neon indicator	10

### B type single powerpoints

Plate size: 116mm square. Mounting centres: 84mm.

CM411	10A single powerpoint with 2 gang switch	10
CM412	10A single powerpoint with 2 gang switch with neon indicators	10
CM413	10A single powerpoint, 1 gang switch and blank	10
CM414	10A single powerpoint, 1 gang switch with neon indicators and blank	10

### Double powerpoints

Plate size: 116mm square. Mounting centres: 84mm.

CM407	10A double powerpoint	10
CM408	10A double powerpoint with neon indicators	10

## COMO® Range dimmers and fan controllers 230 - 240V a.c.

### Vertical light dimmers

Plate size: 72 x 116mm. Mounting centres: 84mm.

CM210	400W light dimmer, for vertical mounting (leading edge)	10
CM224	400W light dimmer, for vertical mounting (trailing edge)	1

### Horizontal light dimmers

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM209	400W light dimmer, for horizontal mounting (leading edge)	10
CM223	400W light dimmer, for horizontal mounting (trailing edge)	1

### B type light dimmers (leading edge)

Plate size: 116mm square. Mounting centres: 84mm.

CM415	Double 400W light dimmer (leading edge)	10
CM416	10A 2 gang switch and 400W light dimmer (leading edge)	10
CM417	10A 2 gang switch with neon indicators and 400W light dimmer (leading edge)	10
CM418	10A 1 gang switch, 400W light dimmer (leading edge) and blank	10
CM419	10A 1 gang switch with neon indicator, 400W light dimmer (leading edge) and blank	10
CM421	10A single powerpoint with neon indicator and 400W light dimmer (leading edge)	10

Cat No.

Please note that not all products are available ex-stock and are made to order.  
For availability please check with your nearest HPM of ce.

Std  
Pk

CM456



CM126



CM453



CM214



CM211



CM422



CM217



### B type light dimmers (trailing edge)

Plate size: 116mm square. Mounting centres: 84mm.

CM454	Double 400W light dimmer (trailing edge)	1
CM455	10A 2 gang switch and 400W light dimmer (trailing edge)	1
CM456	10A 2 gang switch with neon indicators and 400W light dimmer (trailing edge)	1
CM457	10A 1 gang switch, 400W light dimmer (trailing edge) and blank	1
CM458	10A 1 gang switch with neon indicator, 400W light dimmer (trailing edge) and blank	1

### Fan controllers

Plate size: 72 x 116mm. Mounting centres: 84mm.

100VA 3 speed fan controller.

CM126	100VA single fan controller	1
CM221	10A 1 gang switch and 100VA fan controller, for horizontal mounting	1
CM222	10A 1 gang switch and 100VA fan controller, for vertical mounting	1

### B type fan controllers

Plate size: 116mm square. Mounting centres: 84mm.

CM451	10A 2 gang switch, 100VA fan controller and blank	1
CM452	10A 3 gang switch and 100VA fan controller	1

### B type light dimmer (trailing edge) and fan controller combination

Plate size: 116mm square. Mounting centres: 84mm.

Combination includes 400W light dimmer (trailing edge) and 100VA fan controller.

CM453	10A 1 gang switch, 400W light dimmer (trailing edge) and 100VA fan controller	1
-------	---	---

## COMO® Range data/comms

### Coax outlets

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM113	Single F type coax outlet	10
CM114	Single coax outlet	10
CM214	Single coax outlet and single F type coax outlet	10
CM220	Single coax outlet and blank	10
CM225	Double F type coax outlet	1

### RJ45 outlets

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM112	Single RJ45 outlet (phone/data, Cat 5E)	10
CM211	Double RJ45 outlet (phone/data/Cat 5E)	10

### B type RJ outlets

Plate size: 116mm square. Mounting centres: 84mm.

CM422	4 x RJ45 outlets (phone/data, Cat 5E)	10
CM438	3 x RJ45 outlets (phone/data, Cat 5E) and blank	10

### Combined coax and RJ outlets

Plate size: 116 x 72mm. Mounting centres: 84mm.

CM215	Single RJ45 outlet (phone/data, Cat 5E) and single F type coax outlet	10
CM217	Single RJ45 outlet (phone/data, Cat 5E) and single coax outlet	10

Cat No.

Please note that not all products are available ex-stock and are made to order.  
For availability please check with your nearest HPM of ce.

Std  
Pk

CM437



CM801




CM837



CM839



CM873



CM875



CM805



CM924



CM810



### B type combined coax and RJ outlets

Plate size: 116mm square. Mounting centres: 84mm.

CM427	3 x RJ45 outlets (phone/data, Cat 5E) and single coax outlet	10
CM431	3 x RJ45 outlets (phone/data, Cat 5E) and single F type coax outlet	10
CM437	Double RJ45 outlet (phone/data, Cat 5E), single coax outlet and single F type coax outlet	10
CM444	Double RJ45 outlet (phone/data, Cat 5E), single F type coax and blank	10
CM447	Double RJ45 outlet (phone/data, Cat 5E) and single coax outlet and blank	10
CM449	Single RJ45 outlet (phone/data, Cat 5E), single coax outlet, single F type outlet and blank	10

### COMO® Range grids, bases & surrounds

#### Grids

CM801	1 gang type C grid	10
CM802	2 gang type A grid	10
CM804	4 gang type B grid	10

#### Powerpoint bases

CM837	10A single powerpoint base	10
CM838	10A single powerpoint base with neon indicator	10
CM839	10A double powerpoint base	10
CM840	10A double powerpoint base with neon indicator	10

#### Surrounds

CM872	Type A surround	10
CM873	Type B surround	10
CM874	Type C surround	10
CM875	2 gang vertical surround	10
CM876	Vertical dimmer surround	10
CM877	Type A blank plate	10

### COMO® Range mechanisms, modules & covers

#### Switch mechanisms

CM805	10A 2 way 1,2 and 4 gang switch mechanism	10
CM806	10A 2 way 1, 2 and 4 gang switch mechanism with neon indicator	10
CM906	15A 2 way 1,2 and 4 gang switch mechanism	10
CM931	15A 2 way 1,2 and 4 gang switch mechanism with neon indicator	10
CM918	35A 1 way 1,2 and 4 gang isolator switch mechanism	10
CM925	10A 2 way 3 gang switch mechanism	1
CM924	10A 2 way 3 gang switch mechanism with neon indicator	1

#### Powerpoint mechanisms

CM810	10A 1 way powerpoint mechanism	10
CM811	10A 1 way powerpoint mechanism with neon	10

Cat No.

Please note that not all products are available ex-stock and are made to order.  
For availability please check with your nearest HPM of ce.

Std  
Pk

CM808



CM853



CM854



CM812



CM866



CM903



CM814



CM818



CM808	<b>Press button mechanisms</b>	10
CM809	10A press button mechanism	10
	10A press button mechanism with neon indicator	10
CM917	<b>Intermediate switch mechanism</b>	10
	10A intermediate mechanism	10
CM848	<b>Switch mechanism covers</b>	10
CM850	1 gang large switch mechanism cover, type A	10
CM852	1 gang large switch mechanism cover with neon indicator, type A	10
CM853	1 gang switch mechanism cover, type C	10
CM856	1 gang switch mechanism cover with neon indicator, type C	10
CM857	2 gang vertical switch mechanism cover, type A	10
CM858	2 gang vertical switch mechanism cover with neon indicator, type A	10
CM859	Switch mechanism cover, type A and B, RHS and LHS	10
CM861	Switch mechanism cover with neon indicator, type A and B, RHS.	10
CM865	Switch mechanism cover with neon indicator, type A and B, LHS	10
CM907	Single blank plate	10
CM908	Switch mechanism cover with red bar, type A and B LHS	1
CM928	Switch mechanism cover with red bar, type A and B RHS	10
CM930	3 gang switch mechanism cover	1
CM932	3 gang switch mechanism cover with neon indicator	1
	2 gang large switch mech cover, type A	1
CM849	<b>Press button mechanism covers</b>	10
CM851	1 gang large press button mechanism cover, type A	10
CM854	1 gang large press button mechanism cover with neon indicator, type A	10
CM855	1 gang press button mechanism cover, type C	10
	1 gang press button mechanism cover with neon indicator, type C	10
CM812	<b>Powerpoint modules</b>	10
CM813	10A socket outlet module, RHS	10
CM914	10A socket outlet module, LHS	10
	10A autoswitch 2 outlet powerpoint module with neon indicators, type A and B	10
CM866	<b>Powerpoint module covers</b>	10
CM915	10A socket outlet module cover	10
	Autoswitch 2 outlet powerpoint module cover	10
CM902	<b>Dimmers mechanism/module adaptors</b>	10
CM903	<i>Clip in any standard mechanism or module component into these adaptors to utilise with the COMO® range.</i>	10
	Symmetrical mechanism/module adaptor, for type C grids	10
	Asymmetrical mechanism/module adaptor, for type A and B grids	10
CM814	<b>Dimmer modules</b>	10
CM938	400W dimmer module (leading edge)	1
	400W dimmer module (trailing edge)	1
CM818	<b>Data/comms modules</b>	10
CM819	Coax module, type C	10
CM820	Coax module, type A and B, RHS	10
CM821	Coax module, type A and B, LHS	10
CM822	F coax module, type C	10
CM823	F coax module, type A and B, RHS	10
CM935	F coax module, type A and B, LHS	1
CM936	RJ45 module (phone/data, Cat 5E), type C	1
CM937	RJ45 module (phone/data, Cat 5E), type A and B, RHS	1
	RJ45 module (phone/data, Cat 5E), type A and B, LHS	1

## section 6

Cat No.

Please note that not all products are available ex-stock and are made to order.  
For availability please check with your nearest HPM of ce.

Std  
Pk


CM867



CM868



CM911



CM913



CM912



### Fan controller modules

CM904 Symmetrical fan controller module, for type C grids

CM905 Asymmetrical fan controller module, for type A and B grids

10

10

### Mechanism/module covers

CM867 Mechanism/module cover

CM868 Dimmer knob

10

10

### COMO® Range mounting accessories

Plate size: 116mm square.

#### Mounting brackets

143 Standard size mounting bracket

CM911 Render bracket to suit type B grids

CM910 Wall bracket to suit type B grids

20

10

10

#### Mounting clips

712 Mounting clip for 10.0mm plasterboard/gyprock. Max cut out 50 x 76mm. Suits Standard, Excel, Como type A & C grids & Arch Metal Ranges, COMO® type A & C grids, with standard mounting centres.

48 x 102mm, 84mm mounting centres.

50

CM913 Wall clip to suit type B grids

10

#### Wall boxes

CM912 Wall box to suit type B grids (including screws)

10

#### Shrouds

CM921 Shroud to suit type B grids

CM922 Shroud to suit type A grids

CM923 Shroud to suit type C grids

10

10

10