


Section 17

TV, Data & Communication



Standard Range outlets



Pack	Cat No.	Standard size TV and FM-TV outlet Plate size: 70 x 114mm. Mounting centres: 84mm.
10	770/1CX	75 ohm coax outlet
10	770/1FCX	75 ohm coax to F connector



Pack	Cat No.	Modular series RJ outlets Plate size: 114 x 70mm. Mounting centres: 84mm
10	770/1RJ2	Single RJ45 outlet (phone/data, Cat 5E)
10	770/2RJ2	Double RJ45 outlet (phone/data, Cat 5E)



Pack	Cat No.	Architrave TV and FM outlet
10	A770/1CX	75 ohm coax outlet in architrave plate. 68 x 32mm



Pack	Cat No.	Deep-plate TV outlet
10	1A770CX	75 ohm coax outlet, in surface mounting base



Pack	Cat No.	Telephone outlet grids and plate Plate size: 114 x 70mm. Mounting centres: 84mm
20	770TOPL	F connector for cable, microwave & satellite TV. 75 ohm

Excel Range outlets




Pack	Cat No	Standard size TV and FM-TV outlets Standard size: 73 x 117mm. Mounting centres: 84mm
10	XL770/1CX	75 ohm coax outlet
10	XL770/1FCX	75 ohm coax to F connector



Pack	Cat No	Architrave TV and FM-TV outlet Plate size: 32 x 68mm. Mounting centres: 70mm
10	XLA770/1CX	75 ohm coax outlet



Pack	Cat No	F connector pay-TV outlet Plate size: 73 x 117mm. Mounting centres: 84mm
10	XL770F	F connector for cable, microwave & satellite TV. 75 ohm
10	XL770TO	Telephone outlets Plate size: 73 x 117mm. Mounting centres: 84mm Excel telephone outlet to suit Telecom 610 socket



Pack	Cat No.	Modular series RJ outlets Plate size: 117 x 73mm. Mounting centres: 84mm
10	XL770/1RJ2	Single RJ45 outlet (phone/data, Cat 5E)
10	XL770/2RJ2	Double RJ45 outlet (phone/data, Cat 5E)
10	XLP770BT	BT 2 wire phone outlet, single
10	XLPV770BT	BT 2 wire vertical phone outlet



Pack	Cat No.	Double size communication outlet combinations Plate size: 117 x 146mm.
1	XL222/2T	10A double powerpoint, 2 x F connectors and 2 x RJ45 sockets (8P8C - Cat 5E), 2 horizontal plates tall
1	XL222PA/2T	10A double powerpoint with surge protection, 2 x F connectors and 2 x RJ45 sockets (8P8C - Cat 5E), 2 horizontal plates tall



Pack	Cat No.	Triple size communication outlet combinations Plate size: 117 x 219mm
1	XLV424/3W	2x 10A double powerpoint, 4 x F connectors and 2 x RJ45 sockets (8P8C - Cat 5E), 3 vertical plates wide
1	XL422PA/3T	1x 10A double powerpoint with surge protection, 1 x 10A double powerpoint, 2 x F connectors and 2 x RJ45 sockets (8P8C - Cat 5E), 3 horizontal plates tall



Linea Range outlets		
Pack	Cat No.	Linea Range TV outlets Low 4mm profile. Available in high gloss (WE) white and BL (black)
10	LN770/1CX	TV coax outlet
10	LN770/1FCX	TV outlet PAL socket with F type connection
1	LN770/2CX/FCX	TV coax outlet & TV outlet Pal socket with F type connection



Pack	Cat No.	Linea Range telephone and data outlets Plate size: 127 x 82mm. Mounting centres 84mm. Low 4mm profile. Available in high gloss (WE) white, CR (Cream) and BL (black)
10	LN770/1RJ1	Single RJ12 outlet (phone)
10	LN770/1RJ2E	Single RJ45 outlet (phone/data, Cat 5E)
10	LN770/2RJ1	Double RJ12 outlet (phone)
1	LN770/2RJ2E	Double RJ45 outlet (phone/data, Cat 5E)

RJ sockets



Pack	Cat No.	'Spec grade C5' RJ sockets Modular jack sockets, RJL series 8P8C (8 position, 8 conductor) are colour coded for both EIA/TIA 568A and 568B (258A). These are Category 5 compliant and rated 100MHz, voice image and data to 100Mbps. In conjunction with Leviton USA, 15 year performance guarantee. Suits Standard Range & Excel Range plates by using 800RJ insert.
10	RJ8L5BK	Leviton Spec Grade C5 RJ45 socket mechanism 8P8C, Category 5, coded 568A & 568B. Black.
10	RJ8L5WE	Leviton Spec Grade C5 RJ45 socket mechanism 8P8C, Category 5, coded 568A & 568B. White.



Pack	Cat No.	Modular HPM RJ sockets
		An economical range of 8P8C category 6, 8P8C category 5E and 6P4C & 8P4C category 3. Suit Standard, Excel & Linea Range plates.
20	RJ8P8C6/1	RJ45 socket, 8P8C, category 6. White. Also available in black (BL), blue (BU), red (RED), yellow (YE) and green (GR).
20	RJ8P8C5E/1	RJ45 socket, 8P8C, category 5E. White. Also available in BL, BU, RED, YE and GR.
20	RJ6P4C3/1	RJ11 socket, 6P4C, category 3. White. Also available in BL, BU, RED, YE and GR.
20	RJ8P4C3/1	RJ45 socket, 8P4C, category 3. White.
		Modular CLQ universal RJ sockets An economical range of 8P8C Category 6, 8P8C category 5E and 6P4C & 8P4C Category 3. Suit Clipsal, Cabac, Datacomm, Amdex and other wall plates.
20	RJ8P8C6/2	RJ45 socket, 8P8C, Category 6. White.
20	RJ8P8C5E/2	RJ45 socket, 8P8C, Category 5E. White.
20	RJ6P4C3/2	RJ11 socket, 6P4C, Category 3. White.
20	RJ8P4C3/2	RJ45 socket, 8P4C, Category 3. White.

Inserts and adaptors



Pack	Cat No.	Adaptors and inserts for telephone plates
		Suits Standard Range & Excel Range switchplates.
10	800RJT	Insert for AT&T socket
10	800RJ	Adaptor to fit RJ6A, RJ8A5, RJ8L5, Amp (8P) sockets. Not suitable DEC, AT&T. Ref 7542
10	800RJS	Adaptor for Shuttle 8P8C RJ45 sockets & DuPont RJ45 PCB mount socket (HPM Ref 9216)
10	800FA	Insert with 9.5mm hole. Suits F, BNC, TNC, ST fibre optic, threaded adaptor.

Patch Leads



Pack	Cat No.	'Spec Grade C5' Patch leads
		Leads for cross connecting patch panels, with 8PMC AMP clear plugs and Category 5 UTP 24 AWG cable. All come with 8P8C RJ modular plugs & Category 5 UTP cable.
20	RJH05	0.5m patch lead
20	RJH10	1m patch lead
20	RJH15	1.5m patch lead
20	RJH20	2m patch lead
10	RJH25	2.5m patch lead
10	RJH30	3m patch lead
10	RJH50	5m patch lead

Termination tool



Pack	Cat No.	Termination tool & blade
		Punchdown/termination tool for 110 IDC terminals. Suits 22 to 26 AWG wire. Tool has adjustable impact force 9 (use LO for 110)
1	RJT1	Termination tool for punchdown

Surface mount jacks



Pack	Cat No.	Surface mount jacks
		Surface mount housing supplied with Category 5 jacks. Cable entry openings for surface or rear entry. Supplied with mounting screws and double sided mounting pad, cable ties.
5	RJ1SA	1 port. Category 5, RJ45 jack, T568B. White
5	RJ2SA	2 port. Category 5, RJ45 jack, T568B. White

Telephone leads and adaptors



Pack	Cat No.	Telephone leads and adaptors
10	D420/1	Standard to standard double adaptor
10	D420/2	Standard to Modular double adaptor
10	D420/3	Standard to Modular adaptor
10	D420/4	Standard telephone plug
10	D420/5	Standard socket, surface mount
10	D420/6	5 metre extension lead with standard plug & socket
5	D420/7	10 metre extension lead with standard plug & socket
5	D420/8	15 metre extension lead with standard plug & socket
5	D420/9	Extension bell. 10 metre lead with standard plug
10	D420/10	5 metre handset extension lead curly cord with 2 Modular plugs
10	D420/11	4 metre extension lead with 2 modular plugs
10	D420/12	8 metre extension lead with 2 modular plugs
10	D420/14	Single 'Aussie' to standard and modular double adaptor
10	D420/15	Skirting mount modular to standard adaptor
10	D420/16	Double extension lead - single modular plug to double modular socket with 5-metre lead
10	D420/18	1 metre modular fly lead
10	D420/19	In-line modular adaptor / cable joiner

Splitters, taps and boosters



Pack	Cat No.	Economy passive splitters
For VHF, UHF & CATV signals. Frequency range: 5 - 1000 MHz		
10	1311S2	2 way passive splitter
10	1311S3	3 way passive splitter
10	1311S4	4 way passive splitter



Pack	Cat No.	Professional passive splitters
For VHF, UHF, CATV and satellite signals. Frequency range: 5 - 2050 MHz		
10	1312S2	2 way passive splitter
10	1312S3	3 way passive splitter
10	1312S4	4 way passive splitter

Connectors, plugs and sockets



Pack	Cat No.	'F' connectors, plugs and sockets
10	1310FS	'F' connector, female to PAL socket in Cat. No. 800 insert Suits 770 & XL770 style switch plates.
10	1310F6	'F' connector, male fitting, crimp type, for connection RG-6 cable (Pack 10.)
10	1310F59	'F' connector, male fitting, crimp type, for connection RG-59 cable (Pack 10.)
10	1310FL	'F' connector, right angled bracket with male fitting on one end & female on other. (Pack 10.)
10	800F	75 ohm 'F' connector insert for cable & Pay-TV. Suits Excel & Standard plates.
10	SWFFC02	75 ohm 'F' connector insert for cable & Pay-TV. 2.4 GHz. Foxtel recognised. White insert.



Pack	Cat No.	Line terminator
5	1313T	Line terminator. For terminating endpoints on VHF, UHF, CATV, MATV & satellite installations. (Pack of 5).
5	1313T/DC	75 ohm matched DC line terminator. For terminating endpoints on the power pass line. (Pack of 5).
10	SWFRFT1	Line terminator. For terminating endpoints on VHF, UHF, CATV, MATV & satellite installations. Foxtel recognised.

TV, FM and phone mechanisms



Pack	Cat No.	TV & FM mechanisms
Suits Standard Range & Excel Range switchplates.		
10	770CXM	75 ohm coax socket mechanism
10	770L12CX	Loop circuit mechanism, tap loss 12dB, insertion loss 1.6dB
10	770L16CX	Loop circuit mechanism, tap loss 16dB, insertion loss 1.3dB
Phone mechanism		
Suits BT 2 wire phone outlets		
1	770BTM	BT 2 wire phone mechanism

Standard Range plate only



Pack	Cat No.	Computer data & communication plate only
Plate size: 117 x 73mm. Mounting centres: 84mm		
20	770/1D1PL	Computer outlet plate for 1 x 9 pin (CP9) D connector socket
20	770/1D3PL	Computer outlet plate for 1 x 25 pin (CP25) D connector socket
20	770/2D3PL	Computer outlet plate for 2 x 25 pin (CP25) D connector socket
10	770/1CXPL	Computer outlet plate for 1 x bayonet cap TCN or BNC connector socket
10	770/2CXPL	Computer outlet plate for 2 x bayonet cap TCN or BNC connector sockets

Excel Range grids and cover plates



Pack	Cat No.	Computer grids and plates only
Plate size: 117 x 73mm. Mounting centres: 84mm.		
10	XL770FPL	F, BNC, TNC or ST fibre optic adaptor, plate only. Hole dia. 9.5mm
10	XL770/1D1	Computer outlet plate for 1 x 9 pin (CP9) D connector socket
10	XL770/2D1	Computer outlet plate for 2 x 9 pin (CP9) D connector sockets
10	XL770/1D2	Computer outlet plate for 1 x 15 pin (CP9) D connector socket
10	XL770/2D2	Computer outlet plate for 2 x 15 pin (CP9) D connector sockets
10	XL770/1D3	Computer outlet plate for 1 x 25 pin (CP9) D connector socket
10	XL770/2D3	Computer outlet plate for 2 x 25 pin (CP9) D connector sockets

Antenna accessories



Pack	Cat No	Antenna accessories
10	D1214/1	1m TV/video fly lead
10	D1209/1.5	1.5m antenna lead, 75 ohm
10	D1209/2.5	2.5m antenna lead, 75 ohm
10	R1209/5	5m antenna lead, 75 ohm
5	R1209/10	10m antenna lead, 75 ohm
10	D1211	Coax plug joiner or extension socket, 75 ohm
10	D1210/75	Adaptor balun (coax to ribbon connection), 75 ohm coax to 300 ohm ribbon.
10	D1210/300	Adaptor balun (coax to ribbon connection), 300 ohm coax to 75 ohm ribbon.
10	D770CXP	Coax TV plug top, 75 ohm
10	D770CXP	Coax female plug top, 75 ohm