Catalogue No: TAI BB 40/5A **CURRENT TRANSFORMER 40/5A**

Energy Management and Building Automation > Energy Management and Metering > Transducers and Transformers > IME Transformers > Cable type Current Transformers > TAIBB





Representative Photo Only (actual product may vary based on configuration selections)

CURRENT TRANSFORMER 40/5A

- Available in a broad range of primary currents 40. . . 6000A
- 5A or 1A secondary
- Cable or Busbar type
- Split or solid core
- High accuracy Class 0.5M

| SPECIFICATIONS | |
|--------------------------------------|-----------------------------------|
| Product Series | TAIBB |
| Component Type Metering | Current Transformer |
| Ipn, Primary Current, Rated | 40 |
| Isn, Secondary Current, Rated | 5 |
| Accuracy Class | 3 |
| Burden, Accuracy Class 0.5 | 1 |
| Rated frequency | 50 |
| Operational Frequency, Min | 47 |
| Operational Frequency, Max | 63 |
| Um, System Voltage, Max (rms) | 0.72 |
| Insulation Class | В |
| Ui, Rated Insulation Voltage | 3000 |
| Rated Insulation Time, Max | 60 |
| Details, Insulation | Dry transformer, air insulation |
| Ith, Thermal Current, Short Time, 1s | 2.4 |
| Icth, Thermal Current, Continuous | 0.04 |
| Idyn, Current, Dynamic | 6 |
| Security Factor | <=5 |
| Power Dissipation, Max | 3 |
| Busbar / Cable Temperature, Max | 125 |
| Mounting (Multiple) | DIN-35 Rail Mount Busbar Mount |
| Material, body / housing | PC (Polycarbonate) |
| IP rating, body / housing | IP40 |
| IP Rating, Terminals | IP 20 |
| Height | 44 |
| Width | 59.5 |




Catalogue No: **TAI BB 40/5A**CURRENT TRANSFORMER 40/5A





| Depth | 65 |
|-----------------------------|--|
| Weight | 0.18 |
| Operating temperature, min | -25 |
| Operating temperature, max | 50 |
| Continuous Temperature, Max | 30 |
| Storage temperature, min | -40 |
| Storage temperature, max | 85 |
| Relative humidity, max | 85 |
| Humidity type | Short-Term Condensation |
| Standards Compliance | EN 61869-1 EN 61869-2 IEC 61869-2 IEC 61869-1 |




Dimension Diagram



Catalogue No: **TAI BB 40/5A**CURRENT TRANSFORMER 40/5A

Energy Management and Building Automation > Energy Management and Metering > Transducers and Transformers > IME Transformers > Cable type Current Transformers > TAIBB





Connection / Wiring Diagram

