

Complementary Solutions

Termination Modules

Series 2 Disconnection Module (1-0), Profil®

Disconnection Module for 10 incoming and 10 outgoing pairs. Pairs numbered 1-0. Disconnect contact used for opening the circuit. Test is possible in both directions. Can accept 3 or 5 point protection elements. Includes one set of plug numbers 1-0 and 10-100. For mounting on Profil® or Backmount frames.



Series 2 Disconnect Module (1-0), Profil

Ordering Information

Description	Quantity	Colour	Product No.
Series 2 Disconnect Module (1-0), Profil	Box of 10	White	6468 5 043-10

Series 2 Disconnection Module (0-9) – Profil®

Disconnection Module for 10 incoming and 10 outgoing pairs. Pairs numbered 0-9 for data, and therefore not to be used on telecommunications backbone cabling. Includes one set of plug numbers 1-0 and 10-100. For mounting on Profil® or Backmount frames.



Series 2 Disconnect Module (0-9), Profil

Ordering Information

Description	Quantity	Colour	Product No.
Series 2 Disconnect Module (0-9), Profil	Box of 10	White	6468 5 043-11

Series 2 Disconnection Module - Backmount

Disconnection Module for 10 incoming and 10 outgoing pairs. Pairs numbered 1-0. Disconnect contact used for opening the circuit. Testing is possible in both directions. Can accept 3 or 5 point protection elements. Includes one set of plug numbers 1-0 and 10-100. For mounting on Backmount frames only. Comes with jumper rings.



Series 2 Disconnect Module, Backmount

Ordering Information

Description	Quantity	Colour	Product No.
Series 2 Disconnect Module, Backmount	Box of 10	White	6468 5 043-13

Complementary Solutions

Termination Modules

Screened Pair Module 6x3 – Profil®

For the termination of screened cable (6 sets of 3 wires) where circuit isolation, disconnection, test access or circuit patching is required for three sensor wires. Used for television and audio applications. A-wire, B-wire and S-screen wire. Commonly called an ABS module.




Screened Pair Module

Ordering Information

Description	Quantity	Colour	Product No.
Screened Pair Module, Profil	Box of 10	White	6468 5 055-00

Series 2 Connect Module – Profil®

Terminates 10 incoming and 10 outgoing pairs. Pairs numbered 1-0. Contacts are permanently connected, for use with 3 point protection only. Includes one set of plug numbers 1-0 and 10-100. For mounting on Profil® or Backmount frames.



Series 2 Connect Module with Earth Clips

Ordering Information

Description	Quantity	Colour	Product No.
Series 2 Connect Module, Profil	Box of 10	White	6468 5 044-10

Earth Module Green/Yellow – Profil®

Module with green/yellow wire is for equipotential bonding of a CES or TRC to the earthing system of the electrical installation. For the connection of up to 34 drain wires or shields to a protective earth. A 2m long, 1.5mm² connecting lead is attached. Black markings on top to indicate absence of IDC contacts and unusable termination slots. For mounting on Profil® or Backmount frames.



Earth Module Green/Yellow

Ordering Information

Description	Quantity	Colour	Product No.
Earth Module Green/Yellow, Profil	Bag of 1	Green	6468 2 048-10

Complementary Solutions


Termination Modules

Earth Module Red – Profil®

Module with violet wire used for connecting from a TRC link bar of any distributor to the TRC link bar of any other distributor. It can also connect the TRC link to a separate telecommunications functional earth electrode. 34 contacts are available for termination. Complete with earth bar, and earth 2m violet cable.

Black markings on top to indicate absence of IDC contacts and unusable termination slots.

For mounting on Profil® or Backmount frames.





Earth Module Red

Ordering Information

Description	Quantity	Colour	Product No.
Earth Module Red, Profil	Bag of 1	Red	6468 2 047-10

Commoning Module – Profil®

Provides a means of commoning many pairs to one incoming pair. Used as a commoning point for up to 20 wires. The module has 2 commoning areas. This gives the user two separate sides of the module - i.e. A-common, and B-common. For mounting on Profil® or Backmount frames..



Commoning Module

Ordering Information

Description	Quantity	Colour	Product No.
Commoning Module, Profil	Box of 10	Grey	6468 5 056-00

Complementary Solutions

Termination Modules

LSA-PLUS® to RJ Interface Module

Used for interfacing voice circuits between RJ outlets and LSA-PLUS® modules. Consists of a 2x20 way PCB module and five RJ45 outlets.
For mounting on Backmount frames.



LSA-PLUS to RJ45 Interface Module

Ordering Information

Description	Quantity	Product No.
LSA-PLUS to RJ45 Interface Module, 5x8 way	Bag of 1	6467 1 028-60

LSA-PLUS® to Screw Terminal Disconnect Module

Used for interfacing standard telecom size conductors with conductors up to 2.5mm² via a printed circuit board. Terminates 20 incoming and 20 outgoing conductors. Wires cannot be terminated in contacts marked 'x'. Equipped with jumper rings.
For mounting on Profil® or Backmount frames.



LSA-PLUS to Screw Terminal Module, Profil

Ordering Information

Description	Quantity	Product No.
LSA-PLUS to Screw Terminal Disconnect Module, Profil	Bag of 1	6467 1 043-00
LSA-PLUS to Screw Terminal Disconnect Module, Backmount	Bag of 1	6467 1 007-01

Test Module (with Cords)

Sits on top of frame allowing easy access for testing.



Test Module with Cords

Ordering Information

Description	Quantity	Product No.
Test Module with Cords	Bag of 1	6451 2 017-00