

PRODUCT DATASHEET

LED Value Batten 1200 40 W TRI

LED VALUE TRI COLOUR BATTEN | LED batten luminaires with slide switch for adjusting one of selectable light colors



AREAS OF APPLICATION

- Offices
- Residential interiors
- Office areas
- Hotels, restaurants, shops

PRODUCT BENEFITS

- Homogenous light distribution
- Long lifetime thanks to LED technology
- Easy and quick installation
- Demand based lighting and energy saving thanks to motion and daylight sensor

PRODUCT FEATURES

- Uniform illumination
- Three light colors selectable via slide switch
- Color rendering index $R_a: \geq 80$
- Beam angle: 120°
- Type of protection: IP20
- Protection class: I
- Power factor: > 0.9
- Lifetime: up to 30,000 h



- Wattage adjustment via dip switch (version dependent)

TECHNICAL DATA

Electrical data

Nominal wattage	40.00 W
Operating mode	Integrated LED driver
Nominal voltage	220...240 V
Power factor λ	> 0.90
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000/4000/5700 K
Luminous efficacy	85/105/95 lm/W
Light color (designation)	Warm White/Cool White/Daylight
Color rendering index Ra	≥80

Light technical data

Beam angle	120 °
------------	-------

Dimensions & weight

Length	1135 mm
Width	65.0 mm
Height	65.0 mm
Product weight	1435.00 g

Colors & materials

Body material	Polycarbonate (PC)/Polyvenyl
Product color	White
Housing color	White

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Number of switching cycles	15000
----------------------------	-------

Additional product data

Mounting type	Surface
Mounting location	Wall

Capabilities

Dimmable	No
Type of connection	Terminal, 3-Pole (L, N, PE)
LED module replaceable	Not replaceable


Certificates & standards

Protection class IK (shock resistance)	IK03
Protection class	I
Type of protection	IP20

Logistical data

Temperature range at storage	-20...+80 °C
-------------------------------------	--------------

Light Distribution



LDC typ polar

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075358584	Folding carton box 1	1142 mm x 90 mm x 90 mm	1746.00 g	9.25 dm ³
4058075358591	Shipping carton box 8	1162 mm x 195 mm x 375 mm	15059.00 g	84.97 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.