

Lamps > FLUORESCENT > TL-D > TL-D Standard Colours



Features

Standard colours with moderate colour rendering (R a 50 - 70)
Varying colour designations

Description

Low-pressure mercury discharge lamps with a tubular 26 mm envelope

Application

Suitable for use in a wide range of luminaires for TL-D fluorescent lamps, mostly used in applications where colour rendering is not an important factor

Benefits

Create atmospheres from warm white to cool daylight

Packaging Information

Consumer Unit (EAN1)						Box (EAN3)			
Commercial Code	Product Description	Unit	EAN Code 1	Pieces	Dimensions in cm (L x H x W)	EAN Code 3	Pieces	Dimensions in cm (L x H x W)	
				Per			Per		
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope								
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope								
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope								
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope								
CHLI18/54	CHAMPION AR LIGHT INSURED 18/5	PCE	00000000000000	1		00000000000000	25	66.0 x 17.0 x 17.0	
CHLI36/54	CHAMPION AR LIGHT INSURED 36/5	PCE	00000000000000	1		00000000000000	25	126.4 x 15.9 x 15.9	
TLD10W33	TL-D 10W/33 SLV/25	PCE	8711500641281	1	36.0 x 2.5 x 2.5	08711500641298	25	36.9 x 14.0 x 14.4	
TLD10W54	TL-D 10W/54 SLV/50	PCE	8711500641304	1	36.0 x 2.5 x 2.5	08711500641311	50	36.7 x 13.8 x 27.1	
TLD10W54	TL-D 10W/54 SLV/50	PCE	8711500641304	1	36.0 x 2.5 x 2.5	08711500641311	50	367.0 x 138.0 x 27.1	
TLD10W54	TL-D 10W/54 SLV/50	PCE	8711500641304	1	36.0 x 2.5 x 2.5	08711500641311	50	367.0 x 138.0 x 27.1	
TLD14W33	TL-D 14W /33	PCE	8711500721754	1		8711500721761	25	42.0 x 16.5 x 17.5	
TLD14W54	TL-D 14W /54	PCE	8711500721785	1		8711500721792	25	42.0 x 16.5 x 17.5	
TLD15W29	TL-D 15W/29 SLV/25	PCE	8711500946683	1	45.2 x 2.8 x 3.0	08711500722119	25	48.8 x 16.1 x 16.9	
TLD15W33	TL-D 15W/33 SLV/25	PCE	8711500702777	1	45.2 x 2.8 x 3.0	08711500722164	25	48.8 x 16.1 x 19.9	
TLD15W33	TL-D 15W/33 SLV/25	PCE	8711500702777	1	46.5 x 2.5 x 2.5	08711500722164	25	47.2 x 14.2 x 14.5	
TLD15W54	TL-D 15W/54 SLV/50	PCE	8711500722218	1	46.5 x 2.5 x 2.5	08711500641328	50	46.9 x 13.9 x 26.3	
TLD16W25	TL-D 16W /25	PCE	8711500614193	1		8711500614209	25	79.0 x 16.7 x 17.5	
TLD18W29	TL-D 18W/29 SLV/25	PCE	8711500286055	1	60.0 x 2.7 x 2.7	8711500286062	25	64.5 x 15.5 x 15.5	
TLD18W29	TL-D 18W/29 SLV/25	PCE	8711500702654	1	60.0 x 2.7 x 2.7	8711500726971	25	64.5 x 15.5 x 15.5	
TLD18W33	TL-D 18W/33 SLV/25	PCE	8711500702661	1	60.0 x 2.7 x 2.7	8711500727015	25	64.5 x 15.5 x 15.5	

Philips Lighting Product Catalogue Family

TLD18W33	TL-D 18W/33 UNP/25	PCE	000000000000	1	60.0 x 2.7 x 2.7	8711500630070	25	64.5 x 15.5 x 15.5
TLD18W33	TL-D 18W/33 SLV/25	PCE	8711500702661	1	60.5 x 2.6 x 2.8	08711500727015	25	64.7 x 15.3 x 16.1
TLD18W33	TL-D 18W/33 SLV/25	PCE	8711500702661	1	60.0 x 2.7 x 2.7	8711500727015	25	64.5 x 15.5 x 15.5
TLD18W35	TL-D 18W /35	PCE	8711500729002	1		8711500729019	25	64.5 x 15.0 x 15.0
TLD18W54	TL-D 18W/54 SLV/6	PCE	8711500702678	1	60.0 x 2.7 x 2.7	8711500285652	6	61.8 x 6.0 x 8.8
TLD18W54	TL-D 18W/54 SLV/36	PCE	8711500702678	1	60.0 x 2.7 x 2.7	8711500285713	36	64.5 x 20.5 x 20.5
TLD18W54	TL-D 18W/54 SLV/25	PCE	8711500702678	1	60.0 x 2.7 x 2.7	8711500727145	25	64.5 x 15.5 x 15.5
TLD18W54	TL-D 18W/54 SLV/25	PCE	8711500702678	1	60.5 x 2.6 x 2.8	08711500727145	25	64.7 x 15.3 x 16.1
TLD18W54	TL-D 18W/54 SLV/25	PCE	8711500702678	1	60.5 x 2.6 x 2.8	08711500727145	25	64.7 x 15.3 x 16.1
TLD18W54	TL-D 18W/54 SLV/25	PCE	8711500702678	1	60.5 x 2.6 x 2.8	08711500727145	25	64.7 x 15.3 x 16.1
TLD18W54	TL-D 18W/54 SLV/25	PCE	8711500702678	1	60.0 x 2.7 x 2.7	8711500727145	25	64.5 x 15.5 x 15.5
TLD18W54	TL-D 18W/54 UNP/25	PCE	000000000000	1	60.0 x 2.7 x 2.7	8711500639196	25	64.5 x 15.5 x 15.5
TLD18W54	TL-D 18W/54 SLV/25	PCE	8711500702678	1	60.0 x 2.7 x 2.7	8711500727145	25	64.5 x 15.5 x 15.5
TLD18W79	TL-D 18W /79.SLV/25	PCE	8711500706218	1		8711500613080	25	64.5 x 15.0 x 15.0
TLD23W54	TL-D 23W /54.SLV/25	PCE	8711500726414	1		8711500726421	25	102.6 x 15.0 x 15.0
TLD30W20	TL-D 30W /20	PCE	8711500706249	1		8711500613103	25	96.2 x 15.0 x 15.0
TLD30W29	TL-D 30W/29 SLV/25	PCE	8711500728920	1	90.0 x 2.7 x 2.7	8711500728937	25	94.0 x 15.5 x 15.5
TLD30W29	TL-D 30W/29 SLV/25	PCE	8711500286116	1	90.0 x 2.7 x 2.7	8711500286123	25	94.0 x 15.5 x 15.5
TLD30W29	TL-D 30W/29 SLV/25	PCE	8711500728920	1	90.0 x 2.7 x 2.7	8711500728937	25	94.0 x 15.5 x 15.5
TLD30W33	TL-D 30W/33 SLV/25	PCE	8711500702821	1	90.0 x 2.7 x 2.7	8711500722614	25	94.0 x 15.5 x 15.5
TLD30W33	TL-D 30W/33 SLV/25	PCE	8711500702821	1	90.0 x 2.7 x 2.7	8711500722614	25	94.0 x 15.5 x 15.5
TLD30W33	TL-D 30W /33.SLV/25	PCE	8711500702821	1		8711500722614	25	96.2 x 15.0 x 15.0
TLD30W33	TL-D 30W/33 SLV/25	PCE	8711500286130	1	90.0 x 2.7 x 2.7	8711500286147	25	94.0 x 15.5 x 15.5
TLD30W54	TL-D 30W /54.SLV/25	PCE	8711500722638	1		8711500722645	25	96.2 x 15.0 x 15.0
TLD30W54	TL-D 30W/54 SLV/25	PCE	8711500722638	1	90.0 x 2.7 x 2.7	8711500722645	25	94.0 x 15.5 x 15.5
TLD30W54	TL-D 30W/54 SLV/25	PCE	8711500722638	1	90.0 x 2.7 x 2.7	8711500722645	25	94.0 x 15.5 x 15.5
TLD30W54	TL-D 30W/54 SLV/25	PCE	8711500286154	1	90.0 x 2.7 x 2.7	8711500286161	25	94.0 x 15.5 x 15.5
TLD36W29	TL-D 36W/29 SLV/25	PCE	8711500286178	1	120.0 x 2.7 x 2.7	8711500286185	25	126.0 x 15.5 x 15.5
TLD36W29	TL-D 36W/29 SLV/25	PCE	8711500702692	1	120.0 x 2.7 x 2.7	8711500727619	25	126.0 x 15.5 x 15.5

Philips Lighting Product Catalogue Family

TLD36W29	TL-D 36W/29 SLV/25	PCE	8711500702692	1	120.0 x 2.7 x 2.7	8711500727619	25	126.0 x 15.5 x 15.5
TLD36W33	TL-D 36W/33 SLV/25	PCE	8711500702708	1	120.0 x 2.7 x 2.7	8711500727657	25	126.0 x 15.5 x 15.5
TLD36W33	TL-D 36W/33 UNP/25	PCE	00000000000000	1	120.0 x 2.7 x 2.7	8711500630155	25	126.0 x 15.5 x 15.5
TLD36W33	TL-D 36W/33 SLV/25	PCE	8711500702708	1	121.5 x 2.6 x 2.8	08711500727657	25	125.3 x 15.3 x 16.1
TLD36W33	TL-D 36W/33 SLV/25	PCE	8711500286192	1	120.0 x 2.7 x 2.7	8711500286208	25	126.0 x 15.5 x 15.5
TLD36W35	TL-D 36W /35	PCE	8711500704580	1		8711500727749	25	126.7 x 15.0 x 15.0
TLD36W54	TL-D 36W/54 SLV/6	PCE	8711500702715	1	120.0 x 2.7 x 2.7	8711500285645	6	123.0 x 6.5 x 9.5
TLD36W54	TL-D 36W/54 SLV/36	PCE	8711500702715	1	120.0 x 2.7 x 2.7	8711500285737	36	126.0 x 20.5 x 20.5
TLD36W54	TL-D 36W/54 SLV/25	PCE	8711500702715	1	121.5 x 2.6 x 2.8	08711500727763	25	125.3 x 15.3 x 16.1
TLD36W54	TL-D 36W/54 SLV/25	PCE	8711500702715	1	120.0 x 2.7 x 2.7	8711500727763	25	126.0 x 15.5 x 15.5
TLD36W54	TL-D 36W/54 SLV/25	PCE	8711500702715	1	121.5 x 2.6 x 2.8	08711500727763	25	125.3 x 15.3 x 16.1
TLD36W54	TL-D 36W/54 SLV/25	PCE	8711500702715	1	120.0 x 2.7 x 2.7	8711500727763	25	126.0 x 15.5 x 15.5
TLD36W54	TL-D 36W/54 SLV/25	PCE	8711500702715	1	121.5 x 2.6 x 2.8	08711500727763	25	125.3 x 15.3 x 16.1
TLD36W54	TL-D 36W/54 SLV/25	PCE	8711500702715	1	120.0 x 2.7 x 2.7	8711500727763	25	126.0 x 15.5 x 15.5
TLD36W54	TL-D 36W/54 UNP/25	PCE	00000000000000	1	120.0 x 2.7 x 2.7	8711500639219	25	126.0 x 15.5 x 15.5
TLD36W79	TL-D 36W /79.SLV/25	PCE	8711500706225	1		8711500613127	25	126.7 x 15.0 x 15.0
TLD36W79	TL-D 36W/79 SLV/25	PCE	8711500706225	1		8711500613127	25	126.7 x 15.0 x 15.0
TLD58W29	TL-D 58W/29 SLV/25	PCE	8711500702739	1	150.0 x 2.7 x 2.7	8711500728104	25	155.0 x 15.5 x 15.5
TLD58W29	TL-D 58W/29 SLV/25	PCE	8711500702739	1	150.0 x 2.7 x 2.7	8711500728104	25	155.0 x 15.5 x 15.5
TLD58W33	TL-D 58W/33 SLV/25	PCE	8711500702746	1	150.0 x 2.7 x 2.7	8711500728142	25	155.0 x 15.5 x 15.5
TLD58W33	TL-D 58W /33	PCE	8711500702746	1		8711500728142	25	157.0 x 15.0 x 15.0
TLD58W33	TL-D 58W/33 SLV/25	PCE	8711500702746	1	150.0 x 2.7 x 2.7	8711500728142	25	155.0 x 15.5 x 15.5
TLD58W35	TL-D 58W /35	PCE	8711500700704	1		8711500728180	25	157.0 x 15.0 x 15.0
TLD58W54	TL-D 58W /54	PCE	8711500702753	1		8711500728234	25	157.0 x 15.0 x 15.0
TLD58W54	TL-D 58W /54.SLV/25	PCE	8711500702753	1		8711500728234	25	157.0 x 15.0 x 15.0
TLD58W54	TL-D 58W/54 SLV/25	PCE	8711500702753	1	150.0 x 2.7 x 2.7	8711500728234	25	155.0 x 15.5 x 15.5
TLD58W54	TL-D 58W/54 SLV/25	PCE	8711500702753	1	150.0 x 2.7 x 2.7	8711500728234	25	155.0 x 15.5 x 15.5
TLD58W79	TL-D 58W/79 SLV/25	PCE	8711500706232	1		8711500613165	25	157.0 x 15.0 x 15.0
TLD58W79	TL-D 58W /79.SLV/25	PCE	8711500706232	1		8711500613165	25	157.0 x 15.0 x 15.0

Philips Lighting Product Catalogue Family

Technical Product Information

Commercial Code	Product Description	Volt (V)	Watt (W)	Finish	Cap	Color Temp. (K)	Color Descriptions	Lumen (Lm)	Beam Angle ° ()	CRI (Ra)	Avg. Life Hours
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope										
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope										
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope										
	Low-pressure mercury discharge lamps with a tubular 26 mm envelope										
CHL118/54	CHAMPION AR LIGHT INSURED 18/5	59.0	18	INTERNALLY COATED	G13	6500.0	COOL DAYLIGHT	1015		65.0	
CHL136/54	CHAMPION AR LIGHT INSURED 36/5	103	36	INTERNALLY COATED	G13	6500	COOL DAYLIGHT	2450		65	
TLD10W33	TL-D 10W/33 SLV/25		10			4100	33 COOL WHITE	450			
TLD10W54	TL-D 10W/54 SLV/50		10			6200	54 COOL DAYLIGHT	400			
TLD10W54	TL-D 10W/54 SLV/50		10			6200	54 COOL DAYLIGHT	400			
TLD10W54	TL-D 10W/54 SLV/50		10			6200	54 COOL DAYLIGHT	400			
TLD14W33	TL-D 14W /33		14			4100	33 COOL WHITE	730		60	
TLD14W54	TL-D 14W /54		14			6200	54 COOL DAYLIGHT	660		75	
TLD15W29	TL-D 15W/29 SLV/25		15			3100	29 COOL WHITE	880		50	
TLD15W33	TL-D 15W/33 SLV/25		15			4100	33 COOL WHITE	830		60	
TLD15W33	TL-D 15W/33 SLV/25		15			4100	33 COOL WHITE	830			
TLD15W54	TL-D 15W/54 SLV/50		15			6200	54 COOL DAYLIGHT	725			
TLD16W25	TL-D 16W /25		16			4000	25 COOL WHITE	1000		70	
TLD18W29	TL-D 18W/29 SLV/25	220	18	CLEAR	G13	29		1250		50	

Philips Lighting Product Catalogue Family


TLD18W29	TL-D 18W/29 SLV/25	220	18			3100	29 COOL WHITE	1250	51
TLD18W33	TL-D 18W/33 SLV/25	220	18			4100	33 COOL WHITE	1200	63
TLD18W33	TL-D 18W/33 UNP/25	220	18			4100	33 COOL WHITE	1200	63
TLD18W33	TL-D 18W/33 SLV/25		18			4100	33 COOL WHITE	1200	
TLD18W33	TL-D 18W/33 SLV/25	220	18			4100		1200	63
TLD18W35	TL-D 18W /35		18			3500	35 WHITE	1150	55
TLD18W54	TL-D 18W/54 SLV/6	220	18			6200	54 COOL DAYLIGHT	1050	72
TLD18W54	TL-D 18W/54 SLV/36	220	18			6200	54 COOL DAYLIGHT	1050	72
TLD18W54	TL-D 18W/54 SLV/25	220	18			6200	54 COOL DAYLIGHT	1050	72
TLD18W54	TL-D 18W/54 SLV/25	220	18			6200	54 COOL DAYLIGHT	1025	75
TLD18W54	TL-D 18W/54 SLV/25	220	18			6200	54 COOL DAYLIGHT	1025	75
TLD18W54	TL-D 18W/54 SLV/25	220	18			6200	54 COOL DAYLIGHT	1025	
TLD18W54	TL-D 18W/54 SLV/25	220	18			6200	54 COOL DAYLIGHT	1050	72
TLD18W54	TL-D 18W/54 UNP/25	220	18			6200	54 COOL DAYLIGHT	1050	72
TLD18W54	TL-D 18W/54 SLV/25	220	18			6200		1050	72
TLD18W79	TL-D 18W /79.SLV/25		18			3800	79 FOOD	650	
TLD23W54	TL-D 23W /54.SLV/25		23			6200	54 COOL DAYLIGHT	1550	75
TLD30W20	TL-D 30W /20		30			3800	20 FOOD	1200	
TLD30W29	TL-D 30W/29 SLV/25	220	30			3100	29 COOL WHITE	2175	51
TLD30W29	TL-D 30W/29 SLV/25	220	30	CLEAR	G13	29		2175	50
TLD30W29	TL-D 30W/29 SLV/25	220	30			3100	29 COOL WHITE	2175	51
TLD30W33	TL-D 30W/33 SLV/25	220	30			4100	33 COOL WHITE	2100	63
TLD30W33	TL-D 30W/33 SLV/25	220	30			4100	33 COOL WHITE	2100	63
TLD30W33	TL-D 30W /33.SLV/25		30			4100	33 COOL WHITE	2100	
TLD30W33	TL-D 30W/33 SLV/25	220	30	CLEAR	G13	33		2100	60
TLD30W54	TL-D 30W /54.SLV/25		30			6200	54 COOL DAYLIGHT	1825	75
TLD30W54	TL-D 30W/54 SLV/25	220	30			6200	54 COOL DAYLIGHT	1825	72
TLD30W54	TL-D 30W/54 SLV/25	220	30			6200	54 COOL DAYLIGHT	1825	72
TLD30W54	TL-D 30W/54 SLV/25	220	30	CLEAR	G13	54		1825	75

Philips Lighting Product Catalogue Family

TLD36W29	TL-D 36W/29 SLV/25	220	36	CLEAR	G13	29		2975	50
TLD36W29	TL-D 36W/29 SLV/25	220	36			3100		2975	51
TLD36W29	TL-D 36W/29 SLV/25	220	36			3100	29 COOL WHITE	2975	51
TLD36W33	TL-D 36W/33 SLV/25	220	36			4100	33 COOL WHITE	2850	63
TLD36W33	TL-D 36W/33 UNP/25	220	36			4100	33 COOL WHITE	2850	63
TLD36W33	TL-D 36W/33 SLV/25		36			4100	33 COOL WHITE	2850	
TLD36W33	TL-D 36W/33 SLV/25	220	36	CLEAR	G13	33		2850	60
TLD36W35	TL-D 36W /35		36			3500	35 WHITE	3000	55
TLD36W54	TL-D 36W/54 SLV/6	220	36			6200	54 COOL DAYLIGHT	2500	72
TLD36W54	TL-D 36W/54 SLV/36	220	36			6200	54 COOL DAYLIGHT	2500	72
TLD36W54	TL-D 36W/54 SLV/25	220	36			6200	54 COOL DAYLIGHT	2500	75
TLD36W54	TL-D 36W/54 SLV/25	220	36			6200	54 COOL DAYLIGHT	2500	72
TLD36W54	TL-D 36W/54 SLV/25	220	36			6200	54 COOL DAYLIGHT	2500	75
TLD36W54	TL-D 36W/54 SLV/25	220	36			6200		2500	72
TLD36W54	TL-D 36W/54 SLV/25	220	36			6200	54 COOL DAYLIGHT	2500	
TLD36W54	TL-D 36W/54 SLV/25	220	36			6200	54 COOL DAYLIGHT	2500	72
TLD36W54	TL-D 36W/54 UNP/25	220	36			6200	54 COOL DAYLIGHT	2500	72
TLD36W79	TL-D 36W /79.SLV/25		36			3800	79 FOOD	1600	
TLD36W79	TL-D 36W/79 SLV/25		36			3800	79 FOOD	1600	
TLD58W29	TL-D 58W/29 SLV/25	220	58			3100	29 COOL WHITE	4700	51
TLD58W29	TL-D 58W/29 SLV/25	220	58			3100		4700	51
TLD58W33	TL-D 58W/33 SLV/25	220	58			4100	33 COOL WHITE	4600	63
TLD58W33	TL-D 58W /33		58			4100	33 COOL WHITE	4600	60
TLD58W33	TL-D 58W/33 SLV/25	220	58			4100	33 COOL WHITE	4600	63
TLD58W35	TL-D 58W /35	220	58	CLEAR	G13	35		4600	55
TLD58W54	TL-D 58W /54	220	58			6200	54 COOL DAYLIGHT	4000	75
TLD58W54	TL-D 58W /54.SLV/25	220	58			6200	54 COOL DAYLIGHT	4000	75
TLD58W54	TL-D 58W/54 SLV/25	220	58			6200	54 COOL DAYLIGHT	4000	72
TLD58W54	TL-D 58W/54 SLV/25	220	58			6200	54 COOL DAYLIGHT	4000	72

TLD58W79	TL-D 58W/79 SLV/25	58	3800	79 FOOD	2500
TLD58W79	TL-D 58W /79.SLV/25	58	3800	79 FOOD	2500

Dimension Diagram




Type
CHLI18/54
CHLI36/54
TLD14W33
TLD14W54
TLD15W29
TLD15W33
TLD16W25
TLD18W29
TLD18W29
TLD18W33
TLD18W33
TLD18W33
TLD18W35
TLD18W54
TLD18W54

Philips Lighting Product Catalogue Family

TLD18W54	
TLD18W54	
TLD18W54	
TLD18W54	
TLD23W54	
TLD30W20	
TLD30W29	
TLD30W29	
TLD30W29	
TLD30W33	
TLD30W33	
TLD30W33	
TLD30W54	
TLD30W54	
TLD30W54	
TLD30W54	
TLD36W29	
TLD36W29	
TLD36W29	
TLD36W33	
TLD36W33	
TLD36W33	
TLD36W35	
TLD36W54	
TLD36W54	
TLD36W54	
TLD36W54	

Philips Lighting Product Catalogue Family

TLD36W54
TLD36W54
TLD58W29
TLD58W29
TLD58W33
TLD58W33
TLD58W33
TLD58W35
TLD58W54
TLD58W54
TLD58W54
TLD58W54



Type	B NOM
TLD10W33	
TLD10W54	
TLD10W54	
TLD10W54	
TLD15W33	443
TLD15W54	443
TLD18W33	595

Philips Lighting Product Catalogue Family

TLD18W54	595
TLD18W54	595
TLD18W79	595
TLD30W33	900
TLD36W33	1205
TLD36W54	1205
TLD36W54	1205
TLD36W79	1205
TLD36W79	1205
TLD58W79	1506
TLD58W79	1506