



FLEXI STREAMLINE 24V SINGLE COLOUR WHITE 10M KIT FLBP24V10M - 6W/M


Versatile, CRI>90, COB LED single colour white, 10m strip kit, IP20, strip width 8mm.

Application

Ideal for residential features

Design Specifications

- 10 metre strip kit includes COB strip, with adhesive tape, plug and play driver
- Beam distribution 140°, 3000/4000/6000K
- Streamline COB LED chip technology, providing a smooth lighting profile
- Non-dimmable driver as standard
- Heat sink required for system performance, [LED channel options refer this section](#)
- Cutable every 50mm NOTE: when cutting LED strips greater than 50% of the kit length, it is always important to calculate the remaining LED load to reconfirm its compatibility with the existing driver, as driver changes may be required with moderate reduction in loads



Performance

- Dimmable - **NO**



Technical Specification

Product	Model No.	Input Voltage (V/AC)	Watts per metre (W/m)	Beam Angle (°)	CRI	Luminous Flux Per Meter (lm/m)
	FLBP24V10M/CW	240	6	140	90	580
	FLBP24V10M/DL	240	6	140	90	610



LEDs Per Metre	Cutting Interval	Colour Temp. (K)	Body Colour	Dim (mm)
320	50	4000	CLEAR	10000(L) x 8(W) x 2(H)
320	50	6000	CLEAR	10000(L) x 8(W) x 2(H)

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

TO TURN YOUR HOME INTO A **PIXIE SMART HOME**, SELECT A **PIXIE CERTIFIED INSTALLER**.



SIMPLE!

For more
information
please
scan me

