



## LOUNGE III S9327 - 10W/18W


10/18 watt decorative IP54 architectural LED wall mount luminaire

### Application

Ideal for any residential and commercial interior or exterior space

### Design Specifications

- Durable aluminium body profile
- Quality white or black powder coat finish
- High efficiency SMD LED chips
- Indirect illumination optical performance
- Integral constant current non-dimmable driver



### Technical Specification


Model No.	Description	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
S9327/150WW/WH	10W 3000K IP54 WH	240	10	400	3000	80
S9327/150WW/BK	10W 3000K IP54 BK	240	10	400	3000	80
S9327/150NDL/WH	10W 5000K IP54 WH	240	10	500	5000	80
S9327/150NDL/BK	10W 5000K IP54 BK	240	10	500	5000	80
S9327/300WW/WH	18W 3000K IP54 WH	240	18	720	3000	80
S9327/300WW/BK	18W 3000K IP54 BK	240	18	720	3000	80
S9327/300NDL/WH	18W 5000K IP54 WH	240	18	900	5000	80
S9327/300NDL/BK	18W 5000K IP54 BK	240	18	900	5000	80

Model No.	Dimensions (mm)	Body Colour
S9327/150WW/WH	150(L) x 100(W) x 92(H)	WHITE
S9327/150WW/BK	150(L) x 100(W) x 92(H)	BLACK
S9327/150NDL/WH	150(L) x 100(W) x 92(H)	WHITE
S9327/150NDL/BK	150(L) x 100(W) x 92(H)	BLACK
S9327/300WW/WH	300(L) x 100(W) x 92(H)	WHITE
S9327/300WW/BK	300(L) x 100(W) x 92(H)	BLACK
S9327/300NDL/WH	300(L) x 100(W) x 92(H)	WHITE
S9327/300NDL/BK	300(L) x 100(W) x 92(H)	BLACK

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish.

Optional use off-set mounting legs provided in all packs for installation on uneven wall surfaces


## Dimensions



## Photometric Data

Unit: cd C0/C180 \_\_\_\_\_ C90/C270 \_\_\_\_\_

**S9327/300WW at 3000K**





## Product Images

---

