



### Main

Commercial Status	Commercialised
Range of product	Harmony 9001K
Product or component type	Head for spring return pushbutton
Device short name	9001K
Operator profile	Flush, marking: unmarked
Operator additional information	Set of 7 color caps

### Complementary

Mounting diameter	30 mm
Shape of signaling unit head	Octagonal
Product weight	0.087 kg

### Offer Sustainability

Sustainable offer status	Not Green Premium product
RoHS	Compliant - since 0921 - <a href="#">Schneider Electric declaration of conformity</a>
REACH	Reference not containing SVHC above the threshold

### RoHS compliance

RoHS EUR status	Compliant
RoHS EUR conformity date(YYWW)	0921


### Contractual warranty

Period	18 months
--------	-----------

---


Dimensions

---



## Contact Block Mounting Position


Top and Rear views



- (1) It is possible to mount up to 3 levels of contacts blocks (maximum of 6 contacts blocks)
- (2) Operator
- (3) Locating notch
- (4) Side 1
- (5) Side 2

## Panel Cut-Out

### Clearance



Legend plate	a min.		b min.	
	mm	in.	mm	in.
9001KN2••	57.2	2.25	44.5	1.75
9001KN3••	57.2	2.25	50.8	2.00

### Individual Cut-outs Details

2 alternatives

mm  
in.

