Catalogue No: **ELBS2503P**

ENCLOSED STEEL GREY SLB 3P 250A

Power Distribution and Protection > Isolators and Transfer Switches > Enclosed Isolating Switches > Socomec Enclosed Isolating Switches > ELB-S Enclosed Load Break Switches





Representative Photo Only (actual product may vary based on configuration selections)

SWITCH ENCL MET SIRCO 250A 3P

- IP65 rating combined with selection of polycarbonate, mild steel and stainless steel, has any environment, indoor or outdoor,
- Spacious design allowing for quick and easy connection as well as the option to fit additional accessories within the enclosed assembly
- Knockouts provided with ELB-PM series (up to 63A) and gland plates for the ELB-S series as standard making it easier to connect to the internal isolator and reducing installation time
- The same high quality Socomec load break switches including the SLBM, SLB and 32BR switches used across the enclosed
- Enclosed assemblies feature the ergonomic IP65 S-Type handles from Socomec which includes interlocking (in the ON position), pad locking, UV and chemical agent resistive material and the choice of standard blue or red/yellow colour

SPECIFICATIONS	
Component Type Enclosed Isolating Switches	Enclosed Isolating Switch
Poles	3
In, rated current	250
IP rating	IP65
Material, body / housing	Sheet Metal
Colour, body / housing	RAL 7035, Light Grey
Colour, Handle	Blue
Height	400
Width	300
Depth	210
Standards Compliance	IEC 60947-3 EN 60947-3 UL 508 EN 61439 IEC 60364
Certifications	UL



Catalogue No: **ELBS2503P**

ENCLOSED STEEL GREY SLB 3P 250A





REFERENCES		
IECEx Certificate	-	
Supplier Declaration of Conformity:	-	
Installation Guide:	-	
User Manual:	-	
Manufacturer Datasheet:	ELBS2503P_Manufacturer Datasheet	
Manufacturer Catalogue & Product Selection:		

