

STAINLESS STEEL Conduit



STAINLESS STEEL THREADED CONDUITS

| PART NO. | SIZE | WALL THICKNESS | THREAD |
|--|------------|----------------|-----------|
| WMI-SSCON20 | 19.05mm OD | 1.6mm | 1.5 Pitch |
| WMI-SSCON25 | 25.00mm OD | 1.6mm | 1.5 Pitch |
| WMI-SSCON32 | 31.80mm OD | 1.6mm | 1.5 Pitch |
| WMI-SSCON38 | 38.10mm OD | 1.6mm | 1.5 Pitch |
| WMI-SSCON50 | 50.00mm OD | 1.6mm | 1.5 Pitch |
| WMI-SSCON63 | 63.50mm OD | 1.6mm | 1.5 Pitch |
| SUPPLIED WITH COUPLING - Standard 3 meter lengths - BOTH ENDS THREADED - 316 Marine & Food Grade – 320 grit polished finish - | | | |

STAINLESS STEEL PLAIN THREADED COUPLING



| PART NO. | SIZE |
|------------|--------------|
| WMI-SSPC20 | 20 mm |
| WMI-SSPC25 | 25 mm |
| WMI-SSPC32 | 32 mm |
| WMI-SSPC40 | 38 mm (40mm) |
| WMI-SSPC50 | 50 mm |

STAINLESS STEEL PLAIN BENDS



| PART NO. | SIZE |
|-------------|--------------|
| WMI-SSPB 20 | 20 mm |
| WMI-SSPB 25 | 25 mm |
| WMI-SSPB 32 | 32 mm |
| WMI-SSPB 38 | 38 mm (40mm) |
| WMI-SSPB 50 | 50 mm |

STAINLESS STEEL INSPECTION ELBOW



| PART NO. | SIZE |
|-------------|-------|
| WMI-SSIB 20 | 20 mm |
| WMI-SSIB 25 | 25 mm |
| WMI-SSIB 32 | 32 mm |

SUPPLIED WITH LID - IP67 RATED

STAINLESS STEEL INSPECTION TEE



| PART NO. | SIZE |
|-------------|-------|
| WMI-SSIT 20 | 20 mm |
| WMI-SSIT 25 | 25 mm |
| WMI-SSIT 32 | 32 mm |

SUPPLIED WITH LID - IP67 RATED


STAINLESS STEEL 1 WAY JUNCTION BOX




| PART NO. | SIZE |
|--------------|-------------|
| WMI-SSJB20/1 | 20 mm 1 Way |
| WMI-SSJB25/1 | 25 mm 1 Way |
| WMI-SSJB32/1 | 32 mm 1 Way |

SUPPLIED WITH LID & 2 SCREWS
- IP67 RATED -


STAINLESS STEEL 2 WAY JUNCTION BOX

|  | PART NO. | SIZE |
|---|--|-------------|
| | WMI-SSJB 20/2 | 20 mm 2 Way |
| | WMI-SSJB 25/2 | 25 mm 2 Way |
| | WMI-SSJB 32/2 | 32 mm 2 Way |
| | SUPPLIED WITH LID & 2 SCREWS - IP67 RATED - | |


STAINLESS STEEL ANGLED JUNCTION BOX

|  | PART NO. | SIZE |
|---|--|--------------|
| | WMI-SSJB 20/A | 20 mm Angled |
| | WMI-SSJB 25/A | 25 mm Angled |
| | WMI-SSJB 32/A | 32 mm Angled |
| | SUPPLIED WITH LID & 2 SCREWS - IP67 RATED - | |


STAINLESS STEEL 3 WAY JUNCTION BOX

|  | PART NO. | SIZE |
|---|--|-------------|
| | WMI-SSJB 20/3 | 20 mm 3 Way |
| | WMI-SSJB 25/3 | 25 mm 3 Way |
| | WMI-SSJB 32/3 | 32 mm 3 Way |
| | SUPPLIED WITH LID & 2 SCREWS - IP67 RATED - | |

STAINLESS STEEL 4 WAY JUNCTION BOX

|  | PART NO. | SIZE |
|---|--|-------------|
| | WMI-SSJB 20/4 | 20 mm 4 Way |
| | WMI-SSJB 25/4 | 25 mm 4 Way |
| | WMI-SSJB 32/4 | 32 mm 4 Way |
| | SUPPLIED WITH LID & 2 SCREWS - IP67 RATED - | |

STAINLESS STEEL PENDANT PLATE

|  | PART NO. | SIZE |
|---|------------------------|-------|
| | WMI-SSPP 20 | 20 mm |
| | WMI-SSPP 25 | 25 mm |
| | WMI-SSPP 32 | 32 mm |
| | Supplied with 2 Screws | |

STAINLESS STEEL LOCKNUT



| PART NO. | SIZE |
|-------------|--------------|
| WMI-SSLN 20 | 20 mm |
| WMI-SSLN 25 | 25 mm |
| WMI-SSLN 32 | 32 mm |
| WMI-SSLN 38 | 38 mm (40mm) |
| WMI-SSLN 50 | 50 mm |

STAINLESS STEEL NIPPLE



| PART NO. | SIZE |
|------------|-------|
| WMI-SSN 20 | 20 mm |
| WMI-SSN 25 | 25 mm |
| WMI-SSN 32 | 32 mm |
| WMI-SSN 40 | 40 mm |
| WMI-SSN 50 | 50 mm |

STAINLESS STEEL THREADED REDUCER



| PART NO. | SIZE |
|---------------|------------|
| WMI-SSR 20-16 | 20 – 16 mm |
| WMI-SSR 25-20 | 25 – 20 mm |
| WMI-SSR 32-25 | 32 – 25 mm |

STAINLESS STEEL DEEP SADDLE



| PART NO. | SIZE |
|-------------|-------|
| WMI-SSDS 20 | 20 mm |
| WMI-SSDS 25 | 25 mm |
| WMI-SSDS 32 | 32 mm |
| WMI-SSDS 50 | 50 mm |

STAINLESS STEEL EXTRA-DEEP SADDLE




| PART NO. | SIZE |
|--------------|-------|
| WMI-SSEDS 20 | 20 mm |
| WMI-SSEDS 25 | 25 mm |
| WMI-SSEDS 32 | 32 mm |
| WMI-SSEDS 50 | 50 mm |

STAINLESS STEEL HALF SADDLES




| PART NO. | SIZE |
|------------|------|
| WMI-SSHS20 | 20mm |
| WMI-SSHS25 | 25mm |
| WMI-SSHS32 | 32mm |
| WMI-SSHS50 | 50mm |


STAINLESS STEEL FULL SADDLES

|  | PART NO. | SIZE |
|---|------------|------|
| | WMI-SSFS20 | 20mm |
| | WMI-SSFS25 | 25mm |
| | WMI-SSFS32 | 32mm |
| | WMI-SSFS50 | 50mm |


STAINLESS STEEL FLANGE COUPLING

|  | PART NO. | SIZE |
|---|------------|------|
| | WMI-SSFC20 | 20mm |
| | WMI-SSFC25 | 25mm |
| | WMI-SSFC32 | 32mm |
| | WMI-SSFC50 | 50mm |


STAINLESS STEEL RATCHET & HANDLE

|  | PART NO. | SIZE |
|---|-----------------|------|
| | WMI-SSRATCHET20 | 20mm |
| | WMI-SSRATCHET25 | 25mm |
| | WMI-SSRATCHET32 | 32mm |
| | | |


STAINLESS STEEL MUNSON RING 30MM DROP


|  | PART NO. | SIZE |
|---|----------------------------|---------------|
| | WMI-SS30MR20 | 20mm diameter |
| | WMI-SS30MR25 | 25mm diameter |
| | WMI-SS30MR32 | 32mm diameter |
| | WMI-SS30MR50 | 50mm diameter |
| | - SUPPLIED WITH 2 SCREWS - | |


STAINLESS STEEL MUNSON RING 50MM DROP


|  | PART NO. | SIZE |
|---|----------------------------|---------------|
| | WMI-SS50MR20 | 20mm diameter |
| | WMI-SS50MR25 | 25mm diameter |
| | WMI-SS50MR32 | 32mm diameter |
| | WMI-SS50MR50 | 50mm diameter |
| | - SUPPLIED WITH 2 SCREWS - | |


STAINLESS STEEL MUNSON RING 75MM DROP


|  | PART NO. | SIZE |
|---|----------------------------|---------------|
| | WMI-SS75MR20 | 20mm diameter |
| | WMI-SS75MR25 | 25mm diameter |
| | WMI-SS75MR32 | 32mm diameter |
| | WMI-SS75MR50 | 50mm diameter |
| | - SUPPLIED WITH 2 SCREWS - | |

| STAINLESS STEEL HOOK | | |
|---|-----------|-------------------------------|
|  | PART NO. | SIZE |
| | WMI-SSHOK | Fits 20 & 25mm Junction Boxes |
| | | |

| STAINLESS STEEL MALE HOOK | | |
|---|-------------|-------------|
|  | PART NO. | SIZE |
| | WMI-SSMHOOK | 20mm thread |
| | | |

| STAINLESS STEEL LOCK RING | | |
|---|------------|------|
|  | PART NO. | SIZE |
| | WMI-SSLR20 | 20mm |
| | WMI-SSLR25 | 25mm |
| | WMI-SSLR32 | 32mm |
| | WMI-SSLR50 | 50mm |

| NEOPRENE WASHER | | |
|---|---------------|------|
|  | PART NO. | SIZE |
| | WMI-NEOWASH20 | 20mm |
| | WMI-NEOWASH25 | 25mm |
| | WMI-NEOWASH32 | 32mm |
| | WMI-NEOWASH50 | 50mm |

| STAINLESS STEEL UNIVERSAL ENCLOSURE | | |
|---|-----------------|-------------------------|
|  | PART NO. | SIZE |
| | WMI-SSENCLOSURE | VARIOUS SIZES AVAILABLE |