


Product End of Life Instructions

Heat Alarm, Surface, 220-240V a.c., Lithium Battery

Clipsal - Motion Sensor



Potential disassembly risks


⚠ WARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm²	58.2	Including all soldering parts
To be depolluted	2	Battery	24	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main function of a heat alarm is to detect changes in ambient temperature and when the temperature is detected to be outside the preset threshold, it will provide an early warning through audible and visual alarms.
Product reference	755HA5L
Additional similar product references	755RB5
Total representative product mass	261 g
Representative product dimensions	Ø140mm x 44mm
Accessories	No
Date of information release	11/28/2025

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.
In case of special transportation: transportation method	No
Recyclability potential	5% The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECYLAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
<http://www.se.com/contact>
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com

ENVEOLI2511065_V1

Published by Schneider Electric

© 2023 - Schneider Electric – All rights reserved

2025-11